


**NEW
VERSION**

VENDEX f21

The Fundamental Veterinary Index

Handpicked and Indexed by - Dr. Dibjyoti Hanse
B.V.Sc & A.H (CVSc, Guwahati), PGDABM (IIM, Ahmedabad)



new

PICTORIAL REPRESENTATION OF PRODUCTS

Hey Folks,

Hope you all are doing well. Thank you all so much for the overwhelming response and love showered for Vendex f20. So, I am back yet again with the second edition of the same. This edition has a few additions and deletions from its previous version along with pictorial representations of each and every product. Hope you enjoy vendexing through this new edition as well.

Regards.

WHAT IS VENDEX f21?

VENDEX f21 is a carefully handpicked index of Fundamental Level Veterinary Medicines meant to work as a Pocket Guide for Field Vets.

VENDEX f21 tries to cover the basic and fundamental day to day veterinary medicines commonly required/used in the field.

VENDEX f21 is divided into 3 primary categories/sections on the basis of animal types commonly handled in the field, i.e. **Livestock, Pet and Poultry**, so that it is easier to refer to.

VENDEX f21 additionally covers the common **vaccination schedule** followed for Livestocks, Dog and Poultry.

WHO IS IT FOR?

It may not follow any international or national indexing norms or guidelines, but, if you are a Vet, who is new to the field of veterinary practice and are confused by the overwhelming world of veterinary medicine, or have been out of practice for a long time and want a brush up of the fundamentals, or just need a ready and quick reference of the basic veterinary medicines commonly used, **VENDEX f21** is the right guide for you and you will definitely like it.

VENDEX f21 believes in keeping things simple and easy to understand without confusing you any more than you already may be.

NOT ONLY THAT...

VENDEX f21 also has two bonus contents -

- **AniTemp** : a quick guide on normal physiological values in animals containing temperature, pulse values, etc.
- **VetKit** : a kit check-list guide, of contents that a Field Vet should have in his medicine kit bag to meet the minimal common day to day requirements in field conditions.

As such, **VENDEX f21** aims to equip a veterinarian who is new to the field of practice with some basic and fundamental guidance, so that he/she is prepared to meet the challenges in field conditions with confidence.

However, this is not the ultimate guide to cover everything in the vast field of Veterinary Science and Animal Husbandry.

DISCLAIMER:

- **VENDEX f21** is a beginner veterinary practitioner's guide, containing fundamental or basic common veterinary medicines and is meant for educational purpose only
- **VENDEX f21** is not for the experts and specialists
- List is not exhaustive and personal choices may differ
- For complicated cases kindly refer/seek expert advice
- Strictly for internal use by registered veterinary practitioners only
- Not for publication

"Confidence doesn't come when we have all the Answers...It comes only when we are ready to face all the QUESTIONS...!"

Happy Vendexing...

VENDEX f21 CONTENTS -

LIVESTOCK FUNDAMENTALS

LIVESTOCK THERAPEUTICS

LIVESTOCK VACCINATION

LIVESTOCK CARE & MANAGEMENT

PET FUNDAMENTALS

PET THERAPEUTICS

DOG VACCINATION

PET CARE & MANAGEMENT

POULTRY FUNDAMENTALS

POULTRY THERAPEUTICS

POULTRY VACCINATION

POULTRY CARE & MANAGEMENT

BONUS CONTENTS -

AniTemp

VetKit


LIVESTOCK FUNDAMENTALS

LIVESTOCK THERAPEUTICS

LIVESTOCK ANTI BACTERIALS / ANTIBIOTICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
AC-Vet Forte inj.	3g vial contains Ampicillin 1.5g, Cloxacillin 1.5g					
		Wound infections, Pneumonia, secondary bacterial infections	**L- 6-10mg/ kg bwt	I/M or I/V	3g	Intas
Acilox bolus	Amoxicillin 1.5g					
		HS, BQ, Mastitis, Calf scour and other Bacterial Infections	L- 2 bolus BID, S- 1 bolus BID	Orally	Strip of 2 boli	Acme
Acmelex inj.	Ampicillin, Cloxacillin					
		Simple Bacterial infections (G+ve, G-ve)	1 ml/50kg bwt	I/M	3g	Acme
Bioxy-LA inj.	Each ml contains Oxytetracycline 100mg					


		<p>HS, BQ, Mastitis, Calf scour and other Bacterial Infections</p>	<p>2.5-5ml/ 50kg bwt or 10ml/ 100kg bwt with 30ml</p>	<p>I/M or slow I/V</p>	<p>30, 100ml</p>	<p>Brilliant Bio Pharma</p>
<p>Cflox Power inj.</p>	<p>Each ml contains Ciprofloxacin 100mg</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
		<p>HS, Pneumonia, CCPP, CBPP and other Bacterial infections</p>	<p>10ml/200kg bwt for 2-3 days</p>	<p>I/M or I/V</p>	<p>50ml</p>	<p>Intas</p>
<p>Dicrysticin-S inj.</p>	<p>Penicillin, Streptomycin</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
		<p>Mixed infections caused by Penicillin and Streptomycin sensitive organisms. Infections in which the organisms cannot be readily identified.</p>	<p>L- 2 - 2.5g, S- 1ml/5kg bwt</p>	<p>I/M</p>	<p>2.5g</p>	<p>Zydus</p>
<p>Enrox LA inj.</p>	<p>Enrofloxacin 100mg/ml</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
		<p>HS, Pneumonia, CCPP, CBPP and other Bacterial infections</p>	<p>3ml/50 bwt single dose</p>	<p>I/M, S/C or Slow I/V</p>	<p>30, 100ml</p>	<p>Alembic</p>
<p>Flobac SA inj.</p>	<p>Each ml contains Enrofloxacin 100mg, Benzyl alcohol 20mg</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>

		HS, Pneumonia, CCPP, CBPP and other Bacterial infections	L- 15ml/200kg, Pig- 3ml/40kg bwt, Dog- 1ml/30kg	I/M, S/C or Slow I/V	30, 50, 100ml	Intas
Intacef inj.	Ceftriaxone	Indication	Doses	Route	Presentation	Company
		HS, Mastitis, other Bacterial Infections	L- 1ml/30kg with 3g, S-1ml/10kg with 250mg	I/M or I/V	250mg, 500mg, 1, 2, 3, 4, 5g	Intas
Intacef Tazo inj.	Ceftriaxone 88.89%, Tazobactam 11.11%	Indication	Doses	Route	Presentation	Company
		HS, Mastitis, other Bacterial Infections	5-10mg/kg bwt OR *1ml/30kg bwt with 10ml diluent, OR 1ml/50kg bwt with 6ml diluent using 3375mg presentation	I/M or I/V	562.5, 2250, 3375, 4500, 5625 mg	Intas
Intamox inj.	Amoxicillin 50%, Cloxacillin 50%	Indication	Doses	Route	Presentation	Company
		HS, BQ, Mastitis, Calf scour and other Bacterial Infections	L- 1ml/35kg bwt with 10ml diluent with 3.5g presentation, S- 1ml/10kg bwt with 2.5g	I/M or I/V	2.5, 3.5, 4.5g	Intas
Intamox-O tablets	Amoxicillin 1.5g	Indication	Doses	Route	Presentation	Company

		<p>Bacterial infections of the lungs and airways, middle ear, sinuses, skin, urinary tract, etc. Follow up of Amoxicillin injections</p>	<p>7 mg/kg bwt (1 tab/215 kg bwt)</p>	<p>Orally</p>	<p>Strip of 2 tablets</p>	<p>Intas</p>
Oxymac bolus	Oxytetracycline	Indication	Doses	Route	Presentation	Company
		<p>HS, BQ, Mastitis, Pneumonia, secondary bacterial infections of viral diseases</p>	<p>L- 2 bolus BID, S- 1 bolus BID</p>	<p>Orally</p>	<p>Strip of 2 boli</p>	<p>Acme</p>
Quintas inj.	Each ml contains Enrofloxacin 100mg	Indication	Doses	Route	Presentation	Company
		<p>HS, Pneumonia, CCPP, CBPP and other Bacterial infections</p>	<p>1ml/20kg bwt for 3-5 days</p>	<p>I/M or I/V</p>	<p>15, 50, 100ml</p>	<p>Intas</p>
Steclin bolus	Tetracycline hydrochloride 500mg	Indication	Doses	Route	Presentation	Company
		<p>Calf scours, Bacterial enteritis, naval ill, foot rot, pyometra, metritis</p>	<p>L- 2-4 bolus, Intra uterine- 1-2 bolus</p>	<p>Orally, I/U</p>	<p>Strip of 4 boli</p>	<p>Zydus</p>
Steclin inj.	Each ml contains Oxytetracycline 50mg	Indication	Doses	Route	Presentation	Company

	HS, BQ, Mastitis, Pneumonia, secondary bacterial infections of viral diseases	1 ml/10kg b wt	I/M or I/V	30 ml	Zydus
-----------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------	---------------------------	-------------------	--------------	--------------

Vetox Tablets	Oxytetracycline Hydrochloride bolus 500mg	Indication	Doses	Route	Presentation	Company
----------------------	--------------------------------------------------	-------------------	--------------	--------------	---------------------	----------------

	HS, BQ, Bacterial Pneumonia, Calf-diphtheria, Calf-pneumonia, Enteritis, Jointill, Bronchitis, etc.	L- 2 boli BID, S- 1 bolus BID	Orally	8 x 4 bolus	SSS Vet Science
-----------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------	---------------	--------------------	----------------------------

Xonexef-S inj.	Ceftriaxone, Sulbactam	Indication	Doses	Route	Presentation	Company
-----------------------	-------------------------------	-------------------	--------------	--------------	---------------------	----------------

	HS, Mastitis, Joint ill, other Bacterial Infections	7.5-15mg/ kg bwt OR 1ml/ 20kg bwt with 10ml diluent	I/M or I/V	375, 750, 1500, 3000, 4500mg	Acme
------------------------------------------------------------------------------------	------------------------------------------------------------------------	--------------------------------------------------------------------------------	-------------------	---------------------------------------------	-------------

* Dose Conversion Formula Example: For a 3g antibiotic composition containing 10ml diluent, dilute 10ml diluent in 3g antibiotic composition. 1ml will contain 300mg antibiotic composition. Dose of 10mg/kg bwt will need 300mg for a 30kg animal. Thus, we will give 1ml/30kg bwt.

** L = Large animals, S = Small animals

LIVESTOCK ANTI INFLAMMATORY / ANALGESICS / ANTIPYRETICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Acmegecic -Forte bolus	Meloxicam, Paracetamol					

	Follow up therapy for inflammation with pain and fever	L- 1-2 bolus BID, S- 1/2-1 bolus	Orally	Strip of 2 boli	Acme
-------------------------------------------------------------------------------------	---------------------------------------------------------------	-----------------------------------------------------	---------------	------------------------	-------------

Dexona-Vet inj.	Dexamethasone 3.34mg/ml	Indication	Doses	Route	Presentation	Company
------------------------	--------------------------------	-------------------	--------------	--------------	---------------------	----------------


		Ketosis, Inflammation, Anaphylactic shock, Surgical shock, Acute Mastitis	L- 4-20mg (2-5ml), S- 2-4mg (1ml) daily	I/M or slow I/V	5 ml	Zydus
Maxxtol bolus	Tolfenamic Acid 500mg	Indication	Doses	Route	Presentation	Company
		Follow up therapy for inflammation	L- 2 bolus BID, S- 1/4 - 1/2 bolus daily	Orally	Strip of 4 boli	Intas
Maxxtol inj.	Tolfenamic Acid 40mg/ml	Indication	Doses	Route	Presentation	Company
		Inflammation with pain (safe for pregnant animals)	L- 5ml/ 50kg bwt, S- 2.5ml/ 50kg bwt single dose	I/M or I/V	30, 100 ml	Intas
Melambic-P bolus	Meloxicam + Paracetamol	Indication	Doses	Route	Presentation	Company
		Follow up therapy for inflammation and fever	1 bolus/ 200kg bwt daily	Orally	Strip of 4 boli	Alembic
Melonex bolus	Meloxicam 100mg	Indication	Doses	Route	Presentation	Company
		Follow up therapy for inflammation	L- 1 bolus/ 200 kg bwt, S- 1/4-1/2 boli daily	Orally	Strip of 4 boli	Intas
Melonex inj.	Meloxicam 5mg/ml	Indication	Doses	Route	Presentation	Company

		Inflammation with pain	15-30ml/300kg bwt	I/M, I/V or S/C	15, 30, 100 ml	Intas
Melonex Plus bolus	Meloxicam 100mg, Paracetamol 1500mg per bolus	Indication	Doses	Route	Presentation	Company
		Follow up therapy for inflammation and fever	1 bolus/200kg bwt daily	Orally	Strip of 4 boli	Intas
Melonex Plus inj.	Meloxicam 5mg, Paracetamol 150mg per ml	Indication	Doses	Route	Presentation	Company
		Inflammation, Fever	L- 30ml/400kg bwt, S- 1ml/10kg bwt	I/M only	30, 100 ml	Intas
Melonex ZPlus bolus	Meloxicam 100mg, Paracetamol 2000mg, Serratiopeptidase 75mg	Indication	Doses	Route	Presentation	Company
		Inflammation, Fever, Bacterial or Viral infection	1 bolus/250kg bwt daily	Orally	Strip of 4 boli	Intas
Serakind Plus bolus	Meloxicam, Paracetamol, Serratiopeptidase	Indication	Doses	Route	Presentation	Company
		Inflammation, Fever, Bacterial or Viral infection	2 boli BID for 3 days	Orally	Strip of 1, 2 bolus	Mankind

Vetalgin inj.	Analgin 500mg/ml	Indication	Doses	Route	Presentation	Company
		For relief of pain in spastic conditions of the abdominal organs; acute and chronic arthritis, rheumatic conditions of muscles and joints.	Cattle- 8 ml/ 100 kg bwt, Calves- 5-15 ml, Sheep and Goats- 2-8 ml, Pigs- 10-30 ml (Spasm of cervical orifice: 5-10 ml)	I/M or I/V	33ml	MSD Animal Health (Intervet)

LIVESTOCK SUPPORTIVE THERAPY (Multivitamins)

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Belamyl inj.	Vitamin B-complex + Liver extract					
		Vitamin deficiency, Anaemia	L- 5-10 ml (2ml/50kg bwt) on alternate days, S- 0.25-0.5 ml (1ml/50kg bwt) twice weekly	I/M only	10, 30, 50, 100 ml	Zydus
Feritas bolus	Ferrous fumarate, Vitamin B12, Folic acid					
		Anaemia in calves and pregnant animals	L- 2 daily for 10-15days, S- ½ half	Orally	Strip of 5 boli	Intas
Nurokind Plus inj.	Methylcobalamin, Pyridoxine, Nicotinamide					
		Neurological disorders, Neuro-muscular disorders, Paralysis, Nervine weakness	L- 5-10ml, S- 3-5ml	I/M or I/V	5, 10, 30ml	Mankind

Tribivet inj.	Thiamine Hydrochloride, Cyanocobalamin, Pyridoxine Hydrochloride	Indication	Doses	Route	Presentation	Company
		Adjunct to Antibiotic/Anthelmintic/Flukicide administration, Anorexia, Liver distress, Anaemia, Debility	L- 5-10ml, S- 1-2ml	I/M or I/V	30, 100ml	Intas
Tribivet M inj.	Methylcobalamin, Pyridoxine, Nicotinamide	Indication	Doses	Route	Presentation	Company
		Neurological disorders, Neuro-muscular disorders, Paralysis, Nerve weakness	L- 5-10ml, S- 3-5ml	I/M or I/V	5, 30, 100 ml	Intas

LIVESTOCK ANTIHISTAMINIC (Anti Allergic)

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Anistamin inj.	Each ml contains Chlorpheniramine maleate 10mg					
		Allergy, Anaphylactic shock, Dermatitis, Itching	L- 5-10ml, S- 1-2ml	I/M	50, 100ml	Intas
Avilin Vet inj.	Each ml contains Pheniramine maleate 22.75mg					
		Itching, eczema, dermatitis, skin oedema, insect bites, drug allergies, anaphylactic shock, laminitis, bloat in ruminants	L- 5-10ml, S- 0.5-1ml, repeat after 8-12 hrs if required	I/M or I/V	10, 33 ml	MSD Animal Health (Intervet)

ACM inj.	Each ml contains Chlorpheniramine maleate 10mg	Indication	Doses	Route	Presentation	Company
		Allergy, Itching, Insect bite, snake bite, bloat, asthma	L- 3-5ml, S- 0.5-1ml	I/M	30, 100ml	Acme
Zeet inj.	Each ml contains Chlorpheniramine maleate 10mg	Indication	Doses	Route	Presentation	Company
		Allergy, Itching, Insect bite, snake bite, bloat	L- 3-5ml, S- 0.5-2ml	I/M	30, 100ml	Alembic

LIVESTOCK ANTI MASTITIS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Mammidium	Tri Sodium Citrate, Multi vitamins, minerals					
		Sub-clinical mastitis, adjunct to antibiotic therapy	50g daily for 4 days mixed with jaggery	Orally	50g, 200g	Intas
Mammitel	Colistin Sulphate, Cloxacillin Sodium	Indication	Doses	Route	Presentation	Company
		Clinical and sub-clinical mastitis	1 syringe in effected quarter at 12 hr interval for 3-4 times	Intramammary	10g syringe	Intas
Mastafast powder	Multivitamins and minerals	Indication	Doses	Route	Presentation	Company

		Sub-clinical mastitis, supportive therapy in clinical mastitis	1 50g powder daily for 4 days	Orally	50g powder	Mankind
Mastilep gel	Herbal	Indication	Doses	Route	Presentation	Company
		Control of mastitis, improvement of udder immunity	To be applied topically on udder	Topical	50g, 125g tube	Ayurvet

LIVESTOCK ANTI DIARRHOEALS / ANTIPROTOZOALS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Berenil Vet inj.	Diminazine Aceturate, Phenazone					
		Babesiosis, Trypanosomiosis, Pyrexia of unknown origin	5-10ml/ 100kg bwt. Total dose should not exceed 56ml	I/M or S/C	20, 30, 90ml	MSD Animal Health (Intervet)
Butalex inj.	Buparvaquone	Indication	Doses	Route	Presentation	Company
		Specific treatment for theileriosis	1ml/20kg bwt	I/M	20ml	MSD Animal Health (Intervet)
Cflox-TZ bolus	Ciprofloxacin, Tinidazole	Indication	Doses	Route	Presentation	Company
		Bacterial diarrhoea	1 bolus/ 300kg bwt for 3-5 days	Orally	Strip of 2 boli	Intas

Cflox-TZ tablets	Ciprofloxacin, Tinidazole	Indication	Doses	Route	Presentation	Company
		Bacterial diarrhoea	1 tab/ 15-25kg b. wt.	Orally	10 tablets	Intas
Diaron powder	Herbal contents	Indication	Doses	Route	Presentation	Company
		Dysentery, Chronic diarrhoea	L- 50-60g, S- 10-20g	Orally with feed or water	100g, 1kg	Herbovets
Imizet inj.	Imidocarb Dipropionate	Indication	Doses	Route	Presentation	Company
		For treatment of Babesiosis, Anaplasmosis	1.2mg/kg bwt or 1ml/100kg bwt	I/M or I/V	5ml	Intas
Neblon powder	Ayurvedic composition	Indication	Doses	Route	Presentation	Company
		Acute or chronic diarrhoea, dysentery, scours	L- 30-50g, S- 6-10g	Orally with feed or water	100g	Indian Herbs
Pabadine bolus	Sulphadimidine	Indication	Doses	Route	Presentation	Company

		Diarrhoea, Bacterial infections, Pneumonia	1-2 boli/ 50kg bwt followed by half dose	Orally	Strip of 4 boli	Intas
Vetaflox TZ bolus	Norfloxacin, Tinidazole	Indication	Doses	Route	Presentation	Company
		Diarrhoea due to bacterial infection, Urogenital infections	L- 1-2 bolus BID, S- 1/2-1 bolus BID, IU: 2 bolus deep IU	Orally / Intra Uterine	Strip of 2 boli	Acme

LIVESTOCK LAXATIVES & PURGATIVES

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Bovilax powder	Epsom salt, Glaubers salt, Ametox along with Ginger, Gentian, Fenugreek and Flax seed.					
		Supportive for optimal digestion, improved rumen function, detoxicant	L- 250-500g, S- 50-60g	Orally	250, 500g	Neospark
Laxabulk liquid	Liquid Paraffin, Milk of Magnesia, Sodium Picosulfate	Indication	Doses	Route	Presentation	Company
		Constipation	L-100ml along with Anti-inflammatory, Antihistaminic, Multivitamin inj. and Saline (hydration therapy)	Orally	150, 500ml	Mankind


LIVESTOCK ANTI BLOAT / ANTIFLATULENTS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Bloatarid liquid	Contains Simethicone amongst others					
		Acute and Chronic Bloat	L-100ml twice daily, S-20ml	Orally	100ml	Intas
Bloatinorm bolus	Alginic acid, Magnesium hydroxide, Aluminium hydroxide, Simethicone					
		Antacid, Acute and Chronic Bloat	L- 1 bolus BID, S- 1/2 bolus BID	Orally	Strip of 2 boli, 6 boli	Excellar
Gastina liquid	Simethicone					
		Tympany, Frothy bloat	100ml twice daily	Orally	100ml	Virbac
Timpan powder	Herbal contents					
		Gaseous and frothy bloat/ tympany, colic	L- 50-60g, S- 20-30g	Orally	100g, 1kg	Herbovets
Timpol powder	Herbal contents					

		Tympany, Frothy bloat	L- 40-80g, S- 20-25g	Orally	100g, 1kg	Indian Herbs
Tympex liquid	Simethicone emulsion	Indication	Doses	Route	Presentation	Company
		Tympany, Frothy bloat	100ml twice daily	Orally	100ml	Vetsfarma

LIVESTOCK RUMENOTORICS / ANTACIDS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Appetonic Forte powder	Ayurvedic contents					
		Indigestion, Anorexia, Ruminal stasis, Flatulence, Dydpepsia, Acidosis	L- 15g BID, S- 4-8g BID	Orally	15g pouch	Himalaya
Bovirum bolus	Antimony potassium tartrate, Ferrous sulphate, Copper sulphate, Cobalt chloride					
		Indigestion, Anorexia	L- 3-4 bolus per day with plenty of drinking water to treated animal	Orally	Strip of 4 boli	Zydus
Gasocide liquid	Herbal supplement					

		Acidity, Gas	L- 100ml, S- 50ml	Orally	1 ltr	Sure Remedies
Buffkind powder	Rumen Buffer with Live Yeast Culture Powder	Indication	Doses	Route	Presentation	Company
		Indigestion, Anorexia	L- 60g, S- 15g for 3-4 days	Orally with feed	60g and 300g	Mankind
Rumen-FS powder	Rumen buffer, Vitamins, Minerals, Probiotic, live yeast culture	Indication	Doses	Route	Presentation	Company
		Prevention and control of acidosis, maintain normal rumen pH, indigestion	100g per animal daily	Orally	100g sachet	Alembic
Ecotas bolus	Saccharomyces cerevisiae, Lactobacillus sporogenes, Aspergillus oryzae, Biotin, DL-Methionine, Zinc Sulphate, Copper Sulphate, Fructo-oligosaccharide	Indication	Doses	Route	Presentation	Company
		Prolonged off-feed condition, adjunct to antibiotics and antidiarrhoeals, post weaning microfloral replacer	L- 2 bolus daily, S- 1 bolus daily for 4 days	Orally	8 bolus in 1 strip	Intas
Rumentas bolus	Satimony Potassium Tartarate, Ferrous Sulphate, Copper Sulphate, Cobalt Chloride	Indication	Doses	Route	Presentation	Company

	<p>Anorexia, antacid with mild laxative</p>	<p>L- 2 boli twice daily for 2-3 days, S- 1 bolus</p>	<p>Orally</p>	<p>Strip of 4 boli</p>	<p>Intas</p>
-----------------------------------------------------------------------------------	----------------------------------------------------	-------------------------------------------------------	---------------	------------------------	--------------

LIVESTOCK RESPIRATORY DISORDERS / EXPECTORANTS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
<p>Caflon powder</p>	<p>Ayurvedic</p>					
		<p>Cough, Bronchitis</p>	<p>Cattle 40-50 g, Goat 10-15g BID</p>	<p>Orally with warm water</p>	<p>100g, 200g, 400g & 1kg</p>	<p>Natural Remedies</p>
<p>Catcough electuary</p>	<p>Ayurvedic</p>					
		<p>Cough, Bronchitis, Pneumonia</p>	<p>L- 25-50g, S- 10-15g</p>	<p>Orally</p>	<p>100g, 250g, 1kg</p>	<p>Cattle Remedies</p>

LIVESTOCK EYE & EAR INFECTIONS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
<p>Ciplox ointment + drops</p>	<p>Ciprofloxacin</p>					
		<p>Eye and ear infections</p>	<p>As single drop daily</p>	<p>Eye / ear</p>	<p>5g, 15g and 5ml, 10ml</p>	<p>Cipla</p>
<p>Conciplex inj.</p>	<p>Vitamin B complex</p>					

		Eye disorders, Nervine disorders, muscular weakness, support therapy with antibiotics	L- 10-15ml, S- 2-5ml	I/M or I/V	10, 30, 100ml	Concept
Gentavet inj.	Gentamicin sulphate	Indication	Doses	Route	Presentation	Company
		As broad spectrum antibiotic	5mg/kg bwt OR 5ml/40kg bwt	I/M	30ml	Concept
Placentrex gel	Extract from human placenta with Nitrogen	Indication	Doses	Route	Presentation	Company
		Topical wound healer	Apply on infected area	Topically	20g	Albert David
Placentrex inj.	Extract from human placenta with Nitrogen	Indication	Doses	Route	Presentation	Company
		Treatment of corneal opacity, corneal ulcer, iris prolapse	1ml/eye or around the wound	Subconjunctival, I/M near wound	2ml	Albert David
Prednisolone inj.	Prednisolone acetate	Indication	Doses	Route	Presentation	Company

	<p>For treatment of ketosis, inflammatory and allergic conditions</p>	<p>L- 5-20ml, S- 1-3ml</p>	<p>I/M</p>	<p>10ml</p>	<p>MSD Animal Health (Intervet)</p>
-----------------------------------------------------------------------------------	------------------------------------------------------------------------------	--------------------------------	------------	-------------	-------------------------------------

LIVESTOCK EXTERNAL WOUND / INJURY WITH INFLAMMATION

LIVESTOCK EXTERNAL WOUND / INJURY WITH INFLAMMATION						
Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
D'Mag spray	Gamma Benzene Hexochloride, Proflavine hemisulphate, Cetrimide, Eucalyptus oil, Turpentine oil, Neem					
		<p>Maggoted wound, infected wound, surgical wound, FMD lesions</p>	<p>Spray liberally twice daily</p>	<p>Topically</p>	<p>50, 100ml spray</p>	<p>Intas</p>
Exoheal spray	Eucalyptus, Pinus, Cedrus					
		<p>All type of wounds</p>	<p>Spray liberally on infected area</p>	<p>Topically</p>	<p>100ml spray</p>	<p>Intas</p>
Himax ointment	Extracts and oils from plants					
		<p>Broad spectrum Antifungal, Antiseptic, Anti-inflammatory and Fly Repellent Skin ointment</p>	<p>Apply once or twice a day on affected area</p>	<p>Topically</p>	<p>50g tube</p>	<p>Indian Herbs</p>

Topicure gel	Herbal Oil extracts	Indication	Doses	Route	Presentation	Company
		Antibacterial, antifungal, anti-inflammatory, fly repellent, maggoted wounds	Apply twice a day on wound area	Topically	50g tube	Natural Remedies
Voxeto ointment	Herbal extracts	Indication	Doses	Route	Presentation	Company
		Fungal infections, Dermatitis, All type of wounds	Clean the affected area and apply once in a day for 5-10 days	Topically	50g tube	Intas


LIVESTOCK POISONING / TOXICITY

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Atrotas inj.	Atropine Sulphate 0.6mg/ml					
		Organophosphorus poisoning, helps stimulate heart rate and cardiac output.	0.02-0.04mg/kg bwt (3-6ml/100kg bwt) along with Antihistaminics and Saline therapy. <i>Caution: Overdose may cause atropine poisoning.</i>	I/V with saline	1 ml	Intas
Tropine inj.	Atropine Sulphate 0.6mg/ml					

	<p>Organophosphorus poisoning, helps stimulate heart rate and cardiac output.</p>	<p>0.02-0.04mg/kg bwt (3-6ml/100kg bwt) along with Antihistaminics and Saline therapy. <i>Caution: Overdose may cause atropine poisoning.</i></p>	<p>I/V with saline</p>	<p>1ml, 10ml</p>	<p>Neon</p>
-----------------------------------------------------------------------------------	-----------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	------------------------	------------------	-------------

Note: Toxicity and poison therapy varies specifically based on case history and cause of poisoning. Kindly refer toxin or poison specific therapy/line of treatment for better and accurate results.


LIVESTOCK ANTI HAEMORRHAGICS / HAEMOSTATICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
<p>Styptochrome E inj.</p>	<p>Ethamsylate 125mg/ml</p>					
		<p>Pre or post operative haemorrhages, haemorrhages of various origins</p>	<p>L- 250-500mg (2-4ml) QID</p>	<p>I/M or I/V</p>	<p>2ml</p>	<p>Dr. Reddy's</p>
<p>Texableed inj.</p>	<p>Tranexamic acid</p>					
		<p>Pre or post operative haemorrhages, epistaxis</p>	<p>5-10 ml/100kg bwt</p>	<p>I/M or I/V</p>	<p>20, 30ml</p>	<p>Mankind</p>
<p>Zakshot inj.</p>	<p>Tranexamic acid 100mg/ 1ml</p>					

	<p>Pre or post operative haemorrhages, epistaxis</p>	<p>5-10 ml/100kg bwt</p>	<p>I/M or I/V</p>	<p>20, 50ml</p>	<p>Carus Laboratories</p>
-----------------------------------------------------------------------------------	------------------------------------------------------	--------------------------	-------------------	-----------------	---------------------------

INFUSIONS / SALINE / ELECTROLYTES

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Dextrose Normal Saline	Dextrose 5%, Sodium Chloride 0.45%	Hypoglycemia, Fluid loss, Dehydration, Debility	L- 500-1000ml, S- 100-200ml	I/V	500ml	Helios Pharmaceuticals
Intalyte saline	Dextrose 20%, Sodium Chloride 0.6%, Potassium Chloride 0.04%, Calcium Chloride 0.027%, Sodium lactate 0.312%	Instant replenishment of fluid, electrolytes and energy in conditions associated with diarrhoea, heat stress and debility	L- 500-2000ml, S- 100-200ml	I/V	500, 1000ml	Intas
Intalyte Oral	Sodium Chloride 7.75g, Potassium Chloride 2.5g, Calcium propionate 800mg, Magnesium sulphate 200mg, Vitamin A, D3 & E	Indication	Doses	Route	Presentation	Company

		Supportive after I/V fluid. General dehydration, diarrhoea, heat stress, calf scour	30g in 1 litre water BID	Orally	300g sachet	Intas
Ringer Lactate	Compound Sodium Lactate Solution	Indication	Doses	Route	Presentation	Company
		Fluid resuscitation after a blood loss due to trauma, surgery, burn injury, etc. Induce urine output in cases of renal failure.	L- 500-2000ml, S- 100-200ml	I/V	250, 500ml	Salius Pharma

LIVESTOCK VACCINATION

LIVESTOCK VACCINES

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Raksha-Anthrax	Anthrax vaccine					
		Prophylactic in endemic areas	Cattle/Buffalo: 1ml, above 4 months of age. Booster annually	I/M or S/C	50ml	Indian Immunologicals
BQ vaccine	Inactivated antigens	Indication	Doses	Route	Presentation	Company

		For immunisation against Black Quarter	Cattle/Buffalo/Goat: 2ml, at 6 months and booster annually	S/C	100ml	Brilliant Bio Pharma
Bruvax	Live Brucella bacteria in freeze dried powder	Indication	Doses	Route	Presentation	Company
		For immunisation against Brucella	Cattle/Buffalo: 2ml. Only for female calves between 4-8 months	S/C	5 dose + 10ml diluent	Indian Immunologicals
Futvac	Inactivated FMD virus antigens	Indication	Doses	Route	Presentation	Company
		For immunisation against Foot and Mouth Disease	Cattle/Buffalo: 2ml, Goat: 1ml, at 4 months and booster after 1 month	I/M	20, 30 and 100ml	Brilliant Bio Pharma
Raksha Biovac	Combined adjuvant vaccine	Indication	Doses	Route	Presentation	Company
		For immunisation against HS and BQ	Cattle/Buffalo: 3ml, Goat: 1ml, above 4 months of age. Booster after 9 months, revaccination annually	I/M	30ml	Indian Immunologicals
Raksha HS	Inactivated culture	Indication	Doses	Route	Presentation	Company

		For immunisation against Haemorrhagic Septicaemia	Cattle/Buffalo: 2ml, at 6 months and booster annually	S/C	100ml	Indian Immunologicals
Raksha Triovac	Formulation of combined vaccine	Indication	Doses	Route	Presentation	Company
		For immunisation against FMD, HS and BQ	Cattle/Buffalo: 3ml, Goat: 1ml, above 4 months of age. Booster after 9 months	I/M	30ml	Indian Immunologicals
Raksha-PPR vaccine	Live attenuated virus	Indication	Doses	Route	Presentation	Company
		For immunisation against Pesti Des Petis Ruminants	Sheep/Goat: 1ml, at 4 months and above. Revaccination every 3 years	S/C	100 doses	Indian Immunologicals
Raksha-Class	Live attenuated vaccine	Indication	Doses	Route	Presentation	Company
		For immunisation against Classical Swine Fever	Pigs: 1ml, 1st vaccine after 45 days, booster after 30 days	S/C	10 doses per vial	Indian Immunologicals in collaboration with IVRI
Tetanus Toxoid inj.	Adsorbed Tetanus Toxoid Vaccine	Indication	Doses	Route	Presentation	Company

	Tetanus Vaccine	L- 5ml, S- 0.5ml	I/M	0.5, 5ml	Serum Institute of India
-----------------------------------------------------------------------------------	------------------------	---------------------	-----	----------	--------------------------

LIVESTOCK CARE & MANAGEMENT

LIVESTOCK ANTHELMINTICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Albomar bolus	Micronised Albendazole 1.5g					
		Anthelmintic against nematodes, cestodes and trematodes	L- 1-2 bolus (5mg/kg bwt)	Orally	Strip of 2 boli	Virbac
Albomar suspension	Micronised Albendazole 25mg					
		Anthelmintic against nematodes, cestodes and trematodes	L- 60-90ml, S- 5-10ml	Orally	30, 60, 90 and 500 ml	Virbac
Bandykind Plus bolus	Albendazole, Ivermectin					
		Broad spectrum anthelmintic for large animals	L- 1 bolus	Orally	1 bolus	Mankind
Fendikind Plus bolus	Fenbendazole, Ivermectin					

		Broad spectrum anthelmintic for large animals	L- 1 bolus	Orally	1 bolus	Mankind
Fentas bolus	Fenbendazole	Indication	Doses	Route	Presentation	Company
		Anthelmintic against nematodes, cestodes and trematodes	L- 1 bolus per 300-600kg bwt (3gm bolus), 1 bolus per 200-300kg bwt (1.5gm bolus)	Orally	Strip of 2 boli available in 1.5 and 3g	Intas
Fentas Plus tablets & suspension	Tablet/ Suspension: Fenbendazole 150mg/1.5%, Praziquantel 50mg/0.5%	Indication	Doses	Route	Presentation	Company
		Anthelmintic against tapeworms, roundworms, hookworms and whipworms in small animals	Tablet: S- 1 tablet/30kg bwt, Suspension: S- 1ml/30kg bwt	Orally	Tablets: Strip of 10 tablets, Suspension: 100, 500ml, 1 lit	Intas
LIVESTOCK ENDECTOCIDE / FLUKICIDE						
Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Hitek-F inj.	Ivermectin, Clorsulon, Propylene Glycol					

		Control and treatment of Liver Fluke and both Endoparasites and Ectoparasites	L upto goat-1ml/50kg bwt, Pigs- 1 ml/33 kg bwt	S/C	10ml	Virbac
Neozide bolus & liquid	Oxyclozanide	Indication	Doses	Route	Presentation	Company
		Liver flukes, Amphistomes and Nasal Schistosomiasis	Bolus: L- 1 bolus/100kg bwt, Suspension: L- 90ml/300kg bwt, S- 5ml/15kg bwt	Orally	Strip of 4 boli and 90ml & 1ltr bottle	Intas
Neozide Plus bolus & liquid	Oxyclozanide, Levamisole	Indication	Doses	Route	Presentation	Company
		For treatment and control of Round worms, Fascioliasis and Amphistomiasis	Bolus: L- 1 bolus/100kg bwt, Suspension: S- 1ml/4kg bwt	Orally	Strip of 4 boli and 90, 500ml & 1ltr bottle	Intas

LIVESTOCK ECTOPARASITICIDE						
Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Butox Vet liquid	Deltamethrin					


		For prevention and control of ectoparasites like ticks, mites, lice and fleas	L- 2-4ml/ltr of water	Spray on animal body	5, 15, 50, 250ml, 1ltr	MSD Animal Health (Intervet)
Clinar liquid	Cypermethrin	Indication	Doses	Route	Presentation	Company
		For control and treatment of ectoparasites like ticks, mites, lice and fleas	L- 1-2ml in 1ltr water	Apply on animal body	5, 15, 50ml and 1ltr	Virbac
Neomac inj.	Ivermectin	Indication	Doses	Route	Presentation	Company
		Control and treatment of Ectoparasites, effective against endoparasites too	L including goat- 1ml/50kg bwt	S/C	1ml, 10ml and 100ml	Intas
Neomac LA inj.	Ivermectin, Methyl paraben, Propyl paraben	Indication	Doses	Route	Presentation	Company
		Treatment and extended control of both endoparasites and ectoparasites	1ml/50kg bwt	S/C	10ml vial	Intas

Hitek inj.	Ivermectin, Benzyl Alcohol, Propylene Glycol	Indication	Doses	Route	Presentation	Company
		Control and treatment of both Endoparasites and Ectoparasites	L- 1ml/50kg bwt, Pigs- 1ml/33kg bwt	S/C	1, 10, 30ml	Virbac
Poron solution	Flumethrin 10mg/ml	Indication	Doses	Route	Presentation	Company
		For control and management of ticks in cattle, sheep and goats. Safe for use in lactating and pregnant cattle	Pour @1ml/10kg bwt evenly from front of shoulder to the base of tail along the midline of the back	Externally	30, 50 and 100ml self-applicator bottle	Alembic
Tik-out liquid	Cypermethrin	Indication	Doses	Route	Presentation	Company
		For control of ectoparasites in cattle, buffalo and goat	1ml/ltr in water	Spray over animal body	15, 50ml	Alembic

LIVESTOCK REPRODUCTION MANAGEMENT

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Chorulon inj.	Each ml contains Human Chorionic Gonadotrophin (hcg) as a white freeze dried crystalline powder(1500 IU)					


		<p>Induction and synchronization of ovulation in sows and gilts. Optimization of fertility in cows and heifers (repeat breeders). Treatment of follicular cysts in cows and heifers</p>	<p>Improvement of conception rate in cows & heifers- 1500 IU at AI or mating; or 4-6 days post AI</p>	<p>I/M or I/V</p>	<p>One box contains 5 vials (1500 IU each) together with 5 vials of solvent for reconstitution</p>	<p>MSD Animal Health (Intervet)</p>
Concimax bolus	Herbo minerals	Indication	Doses	Route	Presentation	Company
		<p>For improving conception</p>	<p>Cattle- 1 bolus daily after AI for 14 days</p>	<p>Orally</p>	<p>Strip of 2x7 boli</p>	<p>Intas</p>
Gynarich inj.	Buserelin Acetate	Indication	Doses	Route	Presentation	Company
		<p>Repeat breeding, delayed ovulation, Oestrus synchronization, Improvement of conception rate, Prevention of early embryonic death</p>	<p>Cattle/ Buffalo- 10-20mcg (2.5-5ml)</p>	<p>I/M, I/V or S/C</p>	<p>2.5, 5, 10ml</p>	<p>Intas</p>
Janova capsules	Herbal mixture, non hormonal formulation	Indication	Doses	Route	Presentation	Company
		<p>Non-Specific Anoestrus, Silent Oestrus, Non-Ovulatory Oestrus, For Inducing Timely Post Partum Oestrus, For Regulating Ovarian Function</p>	<p>L: 3 Capsules S: 2 Capsules, once daily for two consecutive days. Repeat the dose after ten days in case no oestrus or weak oestrus is observed</p>	<p>Orally</p>	<p>Strip of 6 capsules</p>	<p>Ayurvet</p>
Minotas XL bolus	Minerals and vitamins	Indication	Doses	Route	Presentation	Company

		Anoestrus, delayed ovulation, delayed puberty, other reproduction disorders	L- 1 boli daily, S- 1/4-1/2 bolus daily for 7-21 days	Orally	Strip of 7x1 boli	Intas
Pragma inj.	Cloprostenol	Indication	Doses	Route	Presentation	Company
		Pyometra, Oestrus synchronization, mummified foetus, pregnancy termination	L- 2ml, S- 1ml	I/M	2,10 ml	Intas
Pregheat inj.	Oestradiol Benzoate	Indication	Doses	Route	Presentation	Company
		Treatment of anoestrus, uterine expulsion of retained placenta and mummified foetus	2ml (2mg)	I/M	2ml vial	Virbac
Pregova inj.	Cloprostenol Sodium	Indication	Doses	Route	Presentation	Company
		Pyometra, Oestrus synchronization	L- 2ml (0.5mcg)	I/M	2ml vial	Virbac
Pregulate inj.	Buserelin BP	Indication	Doses	Route	Presentation	Company
		Treatment of follicular cysts, Oestrus synchronization, Improvement of conception rate	L- 2.5-5ml (20mcg)	I/M	2ml vial	Virbac

Prajana HS capsules	Non-hormonal Herbal preparation	Indication	Doses	Route	Presentation	Company
		Anoestrus, silent or weak oestrus and prolonged inter-calving period in farm animals	L- 3 capsules, S- 2 capsules for 2 days	Orally	20 pouches of 6 capsules	Indian Herbs
ProShe liquid	Herbal extracts	Indication	Doses	Route	Presentation	Company
		Helps in expulsion of placenta, prevention of uterine bleeding	L- 100-125ml twice dai twice daily, S- 30-40ml twice daily for 3-5 days, Dose to be tripled and repeated every 3 hours in case of Retention of placenta	Orally	450, 900ml	Intas
Utroclean liquid	Herbal	Indication	Doses	Route	Presentation	Company
		As Echolic, uterine stimulant	L- 50-100ml, S- 10-15ml, Double dose after calving and thereafter 100ml twice till till uterus is clean	Orally	100, 450, 900ml	Herbovet

LIVESTOCK MILK LET DOWN / GALACTOGOGUES

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Floraboost AD3	Probiotic powder					
		For enhancing milk production and growth promoter	L-10g, S-2.5g daily to be given as feed supplement	Orally	50, 100, 500g	Excellar

Floraboost bolus	Probiotics, enzymes, minerals	Indication	Doses	Route	Presentation	Company
		For enhancing milk production	L- 1-2 bolus daily, S- 1/2 bolus daily for 3-4 days	Orally	Strip of 4 boli	Excellar
Galactin bolus	Herbal	Indication	Doses	Route	Presentation	Company
		Hypogalactia, Milk let down	L- 4-5 boli daily, S- 2-3 boli daily for 10 days	Orally	10 x 4 boli	Himalaya
Milkout	Herbal galactagogue with minerals	Indication	Doses	Route	Presentation	Company
		For optimum milk production	15 g twice daily 30 mins prior to milking	Orally	300, 900g jar	Intas
Oxytocin inj.	Oxytocin	Indication	Doses	Route	Presentation	Company
		Prevention of intramammary infections, stimulate ejection of milk	L- 3-5ml, S- 1.5-2.5ml	I/M, I/V or S/C	100ml	Bimeda
Tonophosphan Vet inj.	Toldimfos Sodium	Indication	Doses	Route	Presentation	Company

	<p>In reduced milk production, metabolic disorders, bone formation, phosphorus deficiency in combination with calcium, magnesium supplement</p>	<p>Acute cases: L- 5-10ml, S-1-3ml, For chronic conditions 5-10 ml at 48 hour intervals with the following dose rates: L: 2.5 -5 ml, S: 1-2 ml.</p>	<p>I/M or S/C</p>	<p>10, 30, 100ml</p>	<p>MSD Animal Health (Intervet)</p>
-----------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------	----------------------	-------------------------------------

LIVESTOCK FEED SUPPLEMENTS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
<p>Agrimin Forte powder</p>	<p>Minerals and Vitamins</p>					
	<p>As feed supplement for better growth and feed intake</p>	<p>1kg in 100kg feed or L- 6-10 spoons, S- 2 spoons daily</p>	<p>Orally</p>	<p>1kg</p>	<p>Virabac</p>	
<p>Himalayan Batisa powder</p>	<p>Minerals and Vitamins</p>					
	<p>As feed supplement for better growth and feed intake</p>	<p>1kg in 100kg feed or L- 6-10 spoons, S- 2 spoons daily</p>	<p>Orally</p>	<p>100g to 1kg</p>	<p>Natural Remedies</p>	
<p>Minfa Gold powder</p>	<p>Essential Minerals and Vitamins</p>					
	<p>For better growth, improved production and reproduction</p>	<p>L- 30-50g, S- 25-30g daily mixed with 100kg feed</p>	<p>Orally</p>	<p>1.2, 6kg</p>	<p>Intas</p>	
<p>Vimeral liquid</p>	<p>Vitamin A, D3, E and B12</p>					

		Antistress vitamin supplement. Helps in better growth	L-10ml daily, S- 5ml daily	Orally	30, 60, 120, 300, 500ml, 1.2 ltr	Virbac
Sharkoferrol Vet syrup	Oral Hematinic composition with Ferric ammonium citrate and malt extract	Indication	Doses	Route	Presentation	Company
		Anaemia, Provides Vitamin, Iron, Calcium splplement	L-30-50g/day, S-10-15g/day	Orally	450g, 1kg, 2.5kg	Alembic


LIVESTOCK LIVER TONICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Brotone S liquid	Liver extract, Yeast extract					
		Improves digestion in Sheeps and Goats	5-10 ml daily for Sheep and Goat	Orally	1, 4 ltr	Virbac
Catliv liquid	Herbal extracts					
		Liver tonic with anti-stress property	L- 40-50 ml, S- 10-15ml twice daily	Orally	100, 250, 500 ml, 1 and 5 ltr	Cattle Remedies

Feroliv-DS liquid	Ferric Chloride, Vitamin B complex, Calcium, Yeast extract, Liver extract	Indication	Doses	Route	Presentation	Company
	<p>Treats Iron & Calcium deficiency. Treats Liver disorders. Prevents milk fever B-complex deficiency</p>	<p>L- 20-30 ml, S- 5-10ml</p>	<p>Orally</p>	<p>1, 5 ltr</p>	<p>Excellar</p>	
Liv.52 bolus	Caper bush, Chicory	Indication	Doses	Route	Presentation	Company
	<p>Hepatoprotective, liver stimulant</p>	<p>L- 1-2 bolus, S- 1/2-1 bolus BID</p>	<p>Orally</p>	<p>Strip of 4 boli</p>	<p>Himalaya</p>	
Livotas liquid	Extracts	Indication	Doses	Route	Presentation	Company
	<p>Anorexia due to hepatic disorders</p>	<p>L- 30-40 ml once daily, S- 7-10ml</p>	<p>Orally</p>	<p>200, 500ml, 1 ltr</p>	<p>Intas</p>	
Meboliv liquid	Herbal extracts	Indication	Doses	Route	Presentation	Company
	<p>Liver tonic, metabolic stimulant</p>	<p>L- 20-30 ml, S- 5-10ml once daily for 5-7 days</p>	<p>Orally</p>	<p>100, 225 ml, 1 ltr</p>	<p>Indian Herbs</p>	
Toxiliv liquid	Choline chloride, yeast extract, niacin, DL panthenol, Inositol and Vitamin B12	Indication	Doses	Route	Presentation	Company

	Supportive therapy to liver dysfunctions	L- 20ml, S- 3-5ml daily for 7-10 days	Orally	500ml, 1ltr	Vetsfarma
-----------------------------------------------------------------------------------	-------------------------------------------------	------------------------------------------	---------------	--------------------	------------------

LIVESTOCK CALCIUM SUPPLEMENTS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Calborol inj.	Calcium Borogluconate					
		Acute and chronic Hypocalcaemia. Calborol is highly effective in treating Milk Fever with instant results	L- 200-350ml, S- 60ml	Slow I/V	450ml	Novartis
Calme-Forte liquid	Calcium, Phosphorus, Vitamin D3, Vitamin B12 and Carbohydrate					
		Improves quality and quantity of milk, helps in proper formation of bones	L- 50-100ml daily	Orally	1, 2, 5, 20ltr	Acme
Calphos D3 bolus	Probiotics, Enzymes, Traces Mineral concentrate					
		Improves skeletal & Muscular strength. Ensures lengthy lactation & muscular strength. Improves milk yield & its quality. Prevents prolapses of uterus.	L- 2 bolus daily for 8-10 days	Orally	Strip of 4 boli	Excellar

Calvit Forte bolus and liquid	Tribasic Calcium Phosphate and multivitamins	Indication	Doses	Route	Presentation	Company
		Improves health and fertility of animals. Improves milk yield.	Bolus: Milking cow and Buffaloes 1 Boli BID for 12 Days in a month, Liquid: L- 100ml daily, S- 10-20ml BID daily	Orally	Strip of 4 boli, Liquid: 500ml, 1ltr, 5ltr	Rusi Pharma
Calvit Gold powder	Mineral mixture	Indication	Doses	Route	Presentation	Company
		For better growth, improved production and reproduction	L- 25-30g, S- 10-15g daily mixed with 100kg feed	Orally	1kg	Marc

LIVESTOCK FARM DISINFECTANTS / SANITIZATION

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Bleaching powder	Calcium hydroxide, Calcium chloride, calcium hypochlorite					
		Use as disinfectant to kill germs and bacteria	10g/ltr of water (1%)	As aerosol spray over the area	500g	SLCHEM
Kohrsolin liquid	Glutaraldehyde, Dihydroxy dioxihexane, Polymethy derivatives					


		Disinfection of poultry farms, cattle sheds	As preventive: 5-10ml/ltr of water, As specific: 30-40ml/ltr of water	As aerosol spray over the floor area	100, 500ml, 5 ltr	Virbac
Potassium Permanganate I.P	Potassium permanganate					
		Use as footbath. Washing of wounds or external injuries	0.01% mixed with water	Externally on skin or as footbath	400g	Khona IINC


PET FUNDAMENTALS

PET THERAPEUTICS

PET ANTI BACTERIALS / ANTIBIOTICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Binocin inj.	Ampicillin, Cloxacillin					
		Upper respiratory tract infection, Bronchitis, Post operative care, Infected wounds, Urogenital tract infection	5mg/kg bwt	I/M or I/V	500mg	Concept
Bioxy-LA inj.	Each ml contains Oxytetracycline 100mg					

		Infectious enteritis, pneumonia, secondary bacterial complications due to viral diseases, rickettsiosis	10 mg/kg/day for 3-5 days	I/M or slow I/V	30, 100ml	Brilliant Bio Pharma
Ceflactum inj.	Ceftriaxone, Sulbactam	Indication	Doses	Route	Presentation	Company
		Respiratory tract infections, skin and soft tissue infections, Bacterial infections of primary and secondary nature	5mg/kg bwt	I/M or I/V	600mg	Concept
Cefpet tablet	Cefpodoxime Proxetil 100mg	Indication	Doses	Route	Presentation	Company
		Wide range of bacterial as well as fungal infections in dogs and cats	Dog & Cat: 5-10mg/kg bwt OD for 3-5 days	Orally	10 tablets	Intas
Dicrysticin-S inj.	Penicillin, Streptomycin	Indication	Doses	Route	Presentation	Company
		Mixed infections caused by Penicillin and Streptomycin sensitive organisms. Infections in which the organisms cannot be readily identified.	125-250 mg	I/M	2.5g	Zydus
Gyoflox tablet	Enrofloxacin 150mg	Indication	Doses	Route	Presentation	Company

		For G+ve, G-ve bacterial infections	1 tab/10kg bwt	Orally	10 tablets	Indian Immunologics
Intacef Pet inj.	Ceftriaxone	Indication	Doses	Route	Presentation	Company
		GI tract infections, Respiratory infections, Ear infections, Urogenital infections, Skin and soft tissue infections	15-20mg/kg bwt for 3-5 days	I/M or I/V	500mg	Intas
Intacef Tazo Pet inj.	Ceftriaxone 88.89%, Tazobactam 11.11%	Indication	Doses	Route	Presentation	Company
		Pneumonia, Soft tissue infections, Bacterial infections of primary and secondary nature	Dog & Cat: 15-25mg/kg bwt for 3-5 days	I/M or I/V	562.5mg	Intas
Intamox inj.	Amoxicillin 50%, Cloxacillin 50%	Indication	Doses	Route	Presentation	Company
		Pneumonia, Bronchitis, Bacterial gastroenteritis, Otitis	Dog and Cat- 15-25mg/kg bwt daily for 3-5 days	I/M or I/V	2.5, 3.5, 4.5g	Intas
Lixen tablet	Cephalexin 600mg and 300mg	Indication	Doses	Route	Presentation	Company

		For treatment of skin infections, pyoderma, bone infection, urinary tract infection, respiratory tract infection	30mg/kg bwt	Orally	7 tablets	Virbac
Marbomet tablet	Marbofloxacin 50mg	Indication	Doses	Route	Presentation	Company
		Broad spectrum fluoroquinolone antibiotic, used to treat skin and soft tissue, also urinary tract bacterial infections in dogs	2.5mg/kg bwt OD for 3-5 days. Not recommended for puppies.	Orally	5 tablets	Intas
Xceft inj.	Ceftiofur sodium	Indication	Doses	Route	Presentation	Company
		Respiratory tract, Urogenital, GI tract infection, Secondary bacterial treatment	2.2mg/kg bwt OD for 3-5	S/C	250mg	Alembic
Xonexef-S inj.	Ceftriaxone, Sulbactam	Indication	Doses	Route	Presentation	Company
		Skin and soft tissue infections, Respiratory infections, Bacterial infections of primary and secondary nature	15mg/kg bwt	I/M or I/V	375mg, 750mg, 1.5g, 3g, 4.5g	Acme

PET ANTI INFLAMMATORY / ANALGESICS / ANTIPYRETICS

Drug / Product Name	Primary Composition					
---------------------	---------------------	--	--	--	--	--


HD tablets	MSM(Methylsulfonylmethane), Calcium, Vitamin C & E, Zinc and Potassium	Indication	Doses	Route	Presentation	Company
		For hip dysplasia in dogs and cats, other joint problems, arthritis	2 tablets/10kg bwt per day for first 3 weeks and 1 tablet after 3 weeks each day for both dogs/cats.	Orally	50, 100 tablets	Beaphar
Himpyrin liquid	Herbal extracts	Indication	Doses	Route	Presentation	Company
		Analgesic, Anti-inflammatory	Dogs(Small breeds) - 1-2 ml twice daily, Dogs(Large breeds) - 2-3 ml twice daily, Cats - 1 ml twice daily	Orally	30ml	Himalaya
Inflavet tablet	Meloxicam 2.5mg	Indication	Doses	Route	Presentation	Company
		Alleviation of inflammation and pain in both acute and chronic musculoskeletal disorders	Dogs- 0.2mg/kg bwt single dose. Follow up with 0.1mg/kg bwt OD. Do not use in cats.	Orally	10 tablets	Virbac
Melonex inj.	Each ml contains Meloxicam 5mg	Indication	Doses	Route	Presentation	Company
		Inflammation with pain	0.2-0.5ml/10kg bwt	I/M, I/V or S/C	15, 30, 100 ml	Intas
Melonex Plus inj.	Each ml contains Meloxicam 5mg, Paracetamol 150mg, Lignocaine 1% w/v	Indication	Doses	Route	Presentation	Company

		Pyrexia of unknown origin, Bacterial infections, Viral infections and Piroplasmosis	0.2-0.5ml/10kg bwt	I/M only	30, 100ml	Intas
Melonex suspension	Meloxicam 1.5mg	Indication	Doses	Route	Presentation	Company
		Inflammation with pain in puppy. Joint pain and arthritis in aging dogs.	10ml/6kg bwt	Orally	10ml	Intas
Morpin-Vet inj.	Analgin 500mg/ml	Indication	Doses	Route	Presentation	Company
		Pain, fever and other inflammatory conditions	Dog/Cat- 0.5-2g/kg bwt (0.5-2ml total dose)	I/M or I/V	30ml	Morvel
Vetalgin inj.	Analgin 500mg/ml	Indication	Doses	Route	Presentation	Company
		For relief of pain in spastic conditions of the abdominal organs; acute and chronic arthritis, rheumatic conditions of muscles and joints.	Dogs- 1-5 ml (Not to be used in cats)	I/M or I/V	33ml	MSD Animal Health (Intervet)

PET SUPPORTIVE THERAPY (Multivitamins)

Drug / Product Name	Primary Composition					
---------------------	---------------------	--	--	--	--	--

Conciplex inj.	Vitamin B complex	Indication	Doses	Route	Presentation	Company
		<p>Eye disorders, Nervine disorders, muscular weakness, support therapy with antibiotics</p>	<p>Dog- 1-2ml</p>	<p>I/M or I/V</p>	<p>10, 30, 100ml</p>	<p>Concept</p>
Health Up Pro syrup	Multi-vitamin, multi-mineral amino acid complex	Indication	Doses	Route	Presentation	Company
		<p>Liquid supplement for mental and bodily development of puppies, kittens and other animals</p>	<p>1ml/2kg bwt</p>	<p>Orally</p>	<p>200ml</p>	<p>Vetoquinol</p>
Multistar Pet syrup	Amino acids and multivitamins	Indication	Doses	Route	Presentation	Company
		<p>Improves immunity, ensures good condition of fur and skin</p>	<p>0.5ml/kg bwt</p>	<p>Orally</p>	<p>200ml</p>	<p>Mankind</p>
Sharkoferrol Pet liquid	Oral Hematinic composition with Ferric ammonium citrate and Malt extract	Indication	Doses	Route	Presentation	Company

		Anaemia due to tick infestation, hemoprotozoan diseases, parasitic infections, trauma, supplementary for canine parvo, energy replenisher	5-10g/animal/day	Orally	200g	Alembic
Tribivet inj.	Thiamine Hydrochloride, Cyanocobalamin, Pyridoxine Hydrochloride	Indication	Doses	Route	Presentation	Company
		Adjunct to Antibiotic/Anthelmintic/Flukicide administration, Anorexia, Liver distress, Anaemia, Debility	Dog- 0.5-2ml	I/M or I/V	30, 100ml	Intas
Tribivet M inj.	Methylcobalamin, Pyridoxine, Nicotinamide	Indication	Doses	Route	Presentation	Company
		Neurological disorders, Neuro-muscular disorders, Paralysis, Nerve weakness	Dog- 0.5-2ml	I/M or I/V	5, 30, 100 ml	Intas
Zipvit syrup	Amino acid and multivitamin tonic	Indication	Doses	Route	Presentation	Company
		Amino acid and multivitamin tonic for dogs, cats, birds and other small animals.	1-2ml/kg bwt mixed with feed or water	Orally	200ml	Intas

PET ANTIHISTAMINIC (Anti Allergic)

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Anistamin inj.	Chlorpheniramine maleate 10mg/ml					
		Allergy, Anaphylactic shock, Dermatitis, Itching	Dog- 0.4-2mg/ kg bwt (0.5-1ml)	I/M	30, 50, 100ml	Intas
Cadistin inj.	Chlorpheniramine maleate 10mg/ml					
		Allergy, Anaphylactic shock, Dermatitis, Itching	Dog- 0.4-2mg/ kg bwt (0.5-1ml)	I/M	30, 100ml	Zydus

PET ANTI FUNGAL / ANTI INFECTIVE


Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Almizol lotion	Clobetasol Propionate, Ofloxacin, Miconazole Nitrate, Zinc Sulphate					
		Effective against dandruff and bacterial or fungal skin infections	Apply topically for 2-3 weeks	Externally on skin	50, 100ml	Alembic
Kiskin lotion	Clobetasol Propionate, Ofloxacin, Miconazole Nitrate, Zinc Sulphate					

		Use on Eczematous Dermatitis complicated by bacterial and fungal infections, otitis and other wounds.	Apply topically for 2-3 weeks	Externally on skin	100ml	Intas
Wokazole lotion	Ofloxacin, Miconazole, Clobetasol, Zinc Sulphate	Indication	Doses	Route	Presentation	Company
		Effective against dandruff and bacterial or fungal skin infections	Apply topically	Externally on skin	100ml	Vetoquinol

PET ANTI DIARRHOEALS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Anti-Diarrhea liquid	Kaolin, Pectin					
		Simple diarrhoea	Dogs and cats: upto 15lb (6-7kg)- 1 teaspoon, 15lb to 50lb (22-23kg)- 2 teaspoon, above 50lb- 1 tablespoon every 4 hours	Orally	8 oz (226 g) bottle	Naturvet
Cflox-TZ tablets	Ciprofloxacin, Tinidazole	Indication	Doses	Route	Presentation	Company
		Bacterial diarrhoea	1 tab/15-25kg b. wt.	Orally	10 tablets	Intas
Lomotil tablets	Diphenoxylate 2.5mg with Atropine 0.25mg	Indication	Doses	Route	Presentation	Company

		Non-specific acute or chronic diarrhoea	2-5mg (total dose)	Orally	10, 20 tablets	RPG
-----------------------------------------------------------------------------------	--	------------------------------------------------	---------------------------	---------------	-----------------------	------------

Neblon powder	Ayurvedic composition	Indication	Doses	Route	Presentation	Company
		Acute or chronic diarrhoea, dysentery, scours	Dogs- 2-3g	Orally with feed or water	100g	Indian Herbs

PET LAXATIVES & PURGATIVES

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Itworks powder	Ispaghula husk					
		Constipation, Irritable Bowel Syndrome	Dog- 1-2 teaspoonful, Cat- 1/2-1 teaspoonful with meals	Orally	100g	Intas

PET DIURETICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Lasix tablet	Furosemide 40mg					
		Oedema	Dog/Cat- 2-4mg/kg bwt BID	Orally	12 tablets	Sanofi Aventis
Nefrotec DS tablets	Herbal extracts	Indication	Doses	Route	Presentation	Company

	Urinary antiseptic, Antilithic, Diuretic	1 tab BID to be given orally or mixed with food	Orally	60 tablets	Himalaya
-----------------------------------------------------------------------------------	-------------------------------------------------	-------------------------------------------------	--------	------------	----------

PET ANTACIDS / ANTI ULCERS / ANTI FLATULENCE

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Aciloc tablets	Ranitidine 150mg					
		Gastritis, Gastric ulcers	5-10mg/kg bwt	Orally	30 tablets	Cadila
Digene Gel suspension	Aluminium Hydroxide, Magnesium Hydroxide, Simethicone, and Sodium Carboxymethylcellulose					
		Helpful in providing relief from peptic ulcer, gastritis, oesophagitis, and other dyspeptic conditions associated with hyperacidity	1/2-1 teaspoonful (2.5-5ml) after meals	Orally	200, 450ml	Abbott
Digyton Plus liquid	Key ingredients include Black Pepper and Licorice					
		Generally used on indications of Indigestion, colic, flatulence, intolerance to sudden food changes, Irregular bowel movement and functioning	Small Breed Dogs - 5 ml twice daily, Large Breed Dogs - 10 ml twice daily, Cats 2.5 ml twice daily	Orally	100ml	Himalaya
Gelusil-MPS suspension	Aluminium Hydroxide, Magnesium Hydroxide, Dimethicone					

		For relief from Acidity, Gastritis, Gastric ulcers	1/2-1 teaspoonful (2.5-5ml) after meals	Orally	200, 400ml	Pfizer
Histac tablets	Ranitidine 150mg	Indication	Doses	Route	Presentation	Company
		Gastritis, Gastric ulcers	5-10mg/kg bwt	Orally	30 tablets	Sun Pharma
Zinetac tablets	Ranitidine 150mg	Indication	Doses	Route	Presentation	Company
		Gastritis, Gastric ulcers	5-10mg/kg bwt	Orally	30 tablets	GSK
Zymopet drops	Digestive enzymes and Herbal oils	Indication	Doses	Route	Presentation	Company
		Antiflatulence and carminative	7-12 drops (appx.0.5 ml -1 ml) BID small breed, 15-20 drops (appx.1 ml -1.5 ml) BID large breed	Orally	30ml	Intas

PET ANTI EMETICS / ANTI SPASMODICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Avomine tablets	Promethazine 25mg					

		Vomiting, allergic disorder	1.5-2.5mg/kg bwt	Orally	10 tablets	Abbot
Domel-MT tablets	Domeperidone 10mg	Indication	Doses	Route	Presentation	Company
		For symptomatic relief of vomiting	5-10mg BID	Orally	10 tablets	Intas
Reglan inj.	Metochlopramide 5mg/ml	Indication	Doses	Route	Presentation	Company
		Vomiting due to gastritis, oesophageal reflux, impaction	0.01-0.2mg/kg bwt	I/M, I/V or S/C	2ml	Cosme

PET HAEMOSTATICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Styptochrome E inj.	Ethamsylate 125mg/ml					
		Pre or post operative haemorrhages, haemorrhages of unknown origin	Dog- 250-500mg	I/M or I/V	2ml	Dr. Reddy's

PET RESPIRATORY DISORDERS / EXPECTORANTS

Drug / Product Name	Primary Composition					
----------------------------	----------------------------	--	--	--	--	--

Caflon powder	Ayurvedic	Indication	Doses	Route	Presentation	Company
		Cough, Bronchitis	Dog- 2-4g BID/TID	Orally with warm water	100g, 200g	Indian Herbs
Respro-P tonic	Ayurvedic	Indication	Doses	Route	Presentation	Company
		Cough, Bronchitis, Pneumonia	Puppies- 2ml BID, Small Breeds- 5ml BID, Large Breeds- 10ml BID	Orally	100ml	Vamso
Zeet syrup	Diphenhydramine, Ammonium Chloride, Sodium Citrate	Indication	Doses	Route	Presentation	Company
		Systematic treatment of cough, pneumonia	5-10ml TID	Orally	100ml	Alembic

PET EYE & EAR INFECTIONS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Gentavet inj.	Each ml contains Gentamicin sulphate					
		As broad spectrum antibiotic	5mg/kg bwt OR 1.25ml/ 10kg bwt	I/M	30ml	Concept

Pomisol ear drops	Oflaxin, Clotrimazole, Betamethasone, Lignocaine	Indication	Doses	Route	Presentation	Company
		Otitis externa, fungal and bacterial infection in ear canal, itching and excessive ear shaking	5-8 drops	In ear	4 x 15ml	Intas

PET EXTERNAL WOUND / INJURY WITH INFLAMMATION

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
D'Mag spray	Gamma Benzene Hexochloride, Proflavine hemisulphate, Cetrimide, Eucalyptus oil, Turpentine oil, Neem					
		Maggoted wound, infected wound, surgical wound, FMD lesions	Spray liberally twice daily	Topically	50, 100ml spray	Intas
Exoheal spray	Eucalyptus, Pinus, Cedrus					
		All type of wounds	Spray liberally on infected area	Topically	100ml spray	Intas
Scavon cream/ Scavon spray	Herbal ingredients					

		Anti-bacterial, Anti-infective, Anti-fungal, Miticidal, Fly repellent. Helps in wound healing	Clean the infected or wound area and apply	Topically	50g / 100ml	Himalaya
Takfapet spray	Tacrolimus	Indication	Doses	Route	Presentation	Company
		Skin infections caused due to allergies or in case of atopic dermatitis, skin rashes and other skin problems in dogs	Spray directly on the affected area.	Topically	50ml	Intas
Voxeto ointment	Herbal extracts	Indication	Doses	Route	Presentation	Company
		Fungal infections, Dermatitis, All type of wounds	Clean the affected area and apply once in a day for 5-10 days	Topically	50g tube	Intas

PET INFUSIONS / SALINE / ELECTROLYTES

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Intalyte	Dextrose 20%, Sodium Chloride 0.6%, Potassium Chloride 0.04%, Calcium Chloride 0.027%, Sodium lactate 0.312%					

		Instant replenishment of fluid, electrolytes and energy in conditions associated with diarrhoea, heat stress and debility	Dog- 25-100ml	I/V	500, 1000ml	Intas
Ordelyte Pet	Electrolyte supplement for pets	Indication	Doses	Route	Presentation	Company
		Replenishment of fluid, electrolytes and energy	1 sachet in 500 ml water twice daily for 3-4 days (for 10-15kg bwt)	Orally	16.08 g	Intas

DOG VACCINATION

DOG VACCINATION SCHEDULE

Drug / Product Name	Vaccine	Age in Days (Vaccination Day)	Dose	Route	Presentation	Company
Canigen	DHPPI/L primary					
		60 (0)	1ml	S/C, I/M	1ml	Virbac
Rabies Veterinary Vaccine	Anti Rabies Vaccine primary	Age in Days (Vaccination Day)	Dose	Route	Presentation	Company

		75 (15)	1ml	S/C	1ml	Intas
Canigen	DHPPi/L booster	90 (30)	1ml	S/C, I/M	1ml	Virbac
Rabies Veterinary Vaccine	ARV booster	105 (45)	1ml	S/C	1ml	Intas
Booster for both DHPPi/L & ARV		1 yr	1ml	S/C	1ml	

ALTERNATE DOG VACCINATION SCHEDULE

Vaccine	Age in Weeks	Age in Days	Vaccination Day	Dose	Route	Presentation
DHPPi/L primary	6-8 weeks	42-56 days	0	1ml	S/C, I/M	1ml
DHPPi/L booster	9-11 weeks	63-77 days	21	1ml	S/C, I/M	1ml
Rabies (ARV) primary	12-16 weeks	84-112 days	42	1ml	S/C	1ml
DHPPi/L booster	15-17 weeks	105-119 days	63	1ml	S/C, I/M	1ml
Booster for both DHPPi/L & ARV	after 52 weeks	365 days	Yearly	1ml	S/C, I/M	1ml

**Individual vaccine programs/preferences may vary as per local conditions and disease prevalence*

PET CARE & MANAGEMENT


PET DEWORMING / ANTHELMINTICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Albomar suspension	Micronised Albendazole 25mg per ml					

		Anthelmintic against nematodes, cestodes and trematodes	Dogs- 3-5 ml BD for 3 days	Orally	30, 60, 90 and 500 ml	Virbac
Albomar tablets	Micronised Albendazole 150mg	Indication	Doses	Route	Presentation	Company
		Anthelmintic against nematodes, cestodes and trematodes	Dog- 1 tab BD for 3 days	Orally	Strip of 10 tablets	Virbac
Bandystar Pup suspension	Pyrantel Pamoate, Febantel	Indication	Doses	Route	Presentation	Company
		Nematocide for puppies	1ml/kg bwt	Orally	20ml	Mankind
Drontal Plus tablets	Praziquantel, Pyrantel Embonate, Febantel	Indication	Doses	Route	Presentation	Company
		Wide spectrum dewormer. Effective against all intestinal worms	1 tab/10kg bwt (for dogs above 6 months of age)	Orally	Strip of 10 tablets	Bayer
Drontal Puppy syrup	Pyrantel Embonate, Febantel	Indication	Doses	Route	Presentation	Company

		Nematocide for puppies	1ml/kg bwt (upto 12 months of age)	Orally	20ml	Bayer
Eazypet tablets	Praziquantel + Fenbendazole	Indication	Doses	Route	Presentation	Company
		Wide spectrum dewormer. Effective against all intestinal worms	1tab/10kg bwt single dose	Orally	Strip of 10 tablets	Intas
Mectin inj./ tablet	Ivermectin	Indication	Doses	Route	Presentation	Company
		For all types of Ecto & Endo parasites	Injection: 200mcg/kg bwt, Tablet: 0.1-0.5mg/kg bwt	Inj.- S/C, Tab.- Orally	Inj.- 1ml, Tab.- 10mg tablet, strip of 10 tablets	Alembic
Neomac tablet	Ivermectin 10mg	Indication	Doses	Route	Presentation	Company
		Control and treatment of Ectoparasites, effective against endoparasites too	1 tablet every alternate day	Orally	Strip of 10 tablets	Intas
PET ECTOPARASITICIDE						
Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Advocate Spot-on solution	Imidacloprid & Moxidectin					

		Acts on both endoparasites and ectoparasites	2.5ml pipette for dogs with body weight 10-25kg, 4ml pipette for dogs of body weight 25-40kg	Apply Topically on skin	2.5, 4ml	Bayer
Bolfo powder	Propoxur	Indication	Doses	Route	Presentation	Company
		Acts against fleas, ticks and lice in dog or cat's coat. Works best when used along with a flea and tick shampoo	Use as dusting powder	Externally	75g	Bayer (Bay-O-Pet)
Bolfo shampoo	Propoxur	Indication	Doses	Route	Presentation	Company
		Effective against fleas, ticks, and lice in dogs and cats	Use as shampoo. During application, make sure to keep the lather on skin for at least 5 mins	Externally	200ml	Bayer (Bay-O-Pet)
Clinar-M shampoo	Cypermethrin, Miconazole Nitrate	Indication	Doses	Route	Presentation	Company
		Acts against fleas, mites and ticks, also acts against fungal infections in dogs. Not suitable for cats	Use as shampoo	Externally	200ml	Virbac
Erina-EP powder	Ayurvedic Herbal extracts	Indication	Doses	Route	Presentation	Company
		Helps control ticks, fleas and lice in pets	Use as dusting powder	Externally	150g	Himalaya

Erina-EP shampoo	Ayurvedic Herbal extracts	Indication	Doses	Route	Presentation	Company
		Helps control ticks, fleas and lice in pets	Use as shampoo. Keep the lather on skin for at least 5 mins	Externally	200, 500ml	Himalaya
Fipronil Spary	Fipronil 2.5% w/v	Indication	Doses	Route	Presentation	Company
		Effective against fleas, ticks, mites and lice in dogs and cats.	3-6ml per kg body wt as spray	Externally	80 ml	Virbac
Ketochlor shampoo	Ketoconazole and Chlorohexidine Gluconate	Indication	Doses	Route	Presentation	Company
		Anti-fungal, Anti-bacterial, Antiseptic. Used in skin rashes and skin infections	Use as shampoo. Keep the lather on skin for at least 5 mins	Externally	200ml	Virbac
Medipet spray	Fipronil	Indication	Doses	Route	Presentation	Company
		Effective against fleas, ticks, mites and lice in dogs and cats.	Can be sprayed directly on to pet's coat	Externally	100ml	Petcare
Nayflee spray	Fipronil	Indication	Doses	Route	Presentation	Company

		Effective against fleas, ticks, mites and lice in dogs and cats.	Can be sprayed directly on to pet's coat	Externally	100ml	Intas
Notix-p powder	Propoxur	Indication	Doses	Route	Presentation	Company
		Acts against fleas, ticks and lice in dog or cat's coat. Works best when used along with a flea and tick shampoo	Use as dusting powder	Externally	100g	Petcare
Notix-ps shampoo	Propoxur	Indication	Doses	Route	Presentation	Company
		Effective against fleas, ticks, and lice in dogs and cats	Use as shampoo. During application, make sure to keep the lather on skin for at least 5 mins	Externally	150ml	Petcare
VI-FI Forte	Fipronil, S-Methoprene Spot-On	Indication	Doses	Route	Presentation	Company
		Effective against fleas, ticks and lice in dogs.	Single-dose tubes. To be applied along the dog's spine, from head till the tail bone	Externally	2.68 ml for 20-40 kg body wt. 1.34 ml for 10-20 kg body wt. Also available for upto 10 kg body wt	Vivaldis

PET FOOD SUPPLEMENTS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Ascal Pet liquid	Calcium, Phosphorus, Multivitamins					

	<p>For development of bones, prevention of rickets. Antioxidant. Prevents hair fall and boosts immunity</p>	<p>Puppies: 5ml once daily, Growing puppies: 10ml once daily, Adult dogs: 20ml daily</p>	<p>Orally</p>	<p>300ml</p>	<p>Alembic</p>	
<p>Bone Builder powder</p>	<p>Di calcium phosphate, calcium carbonate, calcium lactate pentahydrate, magnesium oxide, yeast</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
	<p>Helps prevent osteoporosis, rickets, anemia, bone softening and other calcium-phosphorus deficiency related problems in both dogs and cats</p>	<p>For dogs 10Kg (Adult)-1/day, 10-25Kg (Adult)-1/day, 25Kg (Adult)-1-2 / day, For puppies 15Kg (age > weeks)-1/day,</p>	<p>Orally mixed with food</p>	<p>500g</p>	<p>Beaphar</p>	
<p>Ca++9 tablets</p>	<p>Calcium, Calcium phosphate, Magnesium, and Vitamin D3</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
	<p>For healthier bones and overall health, Can help in bone healing post surgery or breakage</p>	<p>1 tab/10kg bwt (chewable tablets can be mixed with food)</p>	<p>Orally</p>	<p>30 tablets</p>	<p>Indian Immunologicals</p>	
<p>Calcimust Pet liquid</p>	<p>Vitamin A, D3 & B12, Calcium, Phosphorus</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
	<p>Calcium supplement for cats and dogs</p>	<p>Upto 4kgs: 1/2 tsp, 5-15kgs: 1 tsp, 16-25kgs: 1.5 tsp twice daily</p>	<p>Orally</p>	<p>200ml</p>	<p>Mankind</p>	

Digyton Plus liquid	Black pepper as key ingredient	Indication	Doses	Route	Presentation	Company
		Stimulates the secretion of enzymes in the stomach, which aids the digestion of food. Helps during indigestion, gastritis, constipation	Dogs (Small breeds): 5ml twice daily, Dogs (Large breeds): 10ml twice daily, Cats: 2.5 ml twice daily	Orally	100ml	Himalaya
HimCal liquid	Calcium and Phosphorus derived from oyster shell	Indication	Doses	Route	Presentation	Company
		Promotes bone density and strength	Puppies and small dogs: 5-10 ml twice daily, Adults and large dogs: 10-20 ml twice daily	Orally	200ml	Himalaya
Megaflex powder	Vitamin E, Vegetable oils and ancillary vegetable products	Indication	Doses	Route	Presentation	Company
		Helps prevent bone and joint disorders, arthritis	Dogs: Up to 10Kg- 4g daily, 10-20Kg- 6g daily, Above 20Kg- 8g daily, Cats: Up to 5Kg - 2g daily, Above 5Kg - 4g daily	Orally mixed with food	100, 250g	Bayer
Salmon Oil	Omega 3 and 6 fatty acids from high quality salmon fish	Indication	Doses	Route	Presentation	Company

	Increases appetite, rich source of fatty acids, good for maintaining shiny coat, healthy brain-eye development, good heart and improved mobility for both dogs and cats.	Small sized dogs/ kittens- 7.5ml(one spoonful) Medium sized dogs/ medium to large cats-10ml Large dogs-15ml	Orally mixed with food	425ml	Beaphar
-----------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------	------------------------	-------	---------

Vimeral liquid	Vitamin A, D3, E and B12	Indication	Doses	Route	Presentation	Company
----------------	--------------------------	------------	-------	-------	--------------	---------


	Antistress vitamin supplement. Helps in better growth	Dogs- 2-3 ml daily	Orally	30, 60, 120, 300, 500ml, 1.2 ltr	Virbac
-----------------------------------------------------------------------------------	-------------------------------------------------------	--------------------	--------	----------------------------------	--------

Vitabest Derm liquid	Omega 3 and 6 fatty acids with Zinc and Vitamins	Indication	Doses	Route	Presentation	Company
----------------------	--------------------------------------------------	------------	-------	-------	--------------	---------

	Acts against dermal or skin problems in pets, ensure smoother coat and skin by enhancing epithelial barrier	5ml/10kg bwt	Orally	250ml	Virbac
-------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------	--------------	--------	-------	--------

PET LIVER TONICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Canitone-LS tablets	Siliphos, Zinc and Vit E					

	For improving liver condition. May also be recommended after antibiotic or drug therapy or to flush out toxins from liver	For pets 10-15 kg- 1/2 tab daily, 15-30 kg – 1 tab daily, 30-40 kg- 1 1/2 tabs daily, >40kg- 2 tabs daily	Orally	30 tablets	Virbac
-------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------	--------	------------	--------

Hepamust liquid	Herbal liver tonic	Indication	Doses	Route	Presentation	Company
		Improves liver disorders and anorexia. It rejuvenates liver cells and helps in removing toxins	5-10ml	Orally	200ml	Mankind
Liv. 52 liquid	Herbal liver tonic	Indication	Doses	Route	Presentation	Company
		Hepatoprotective, Restores metabolic efficiency of liver. Helps in hepatic disorders by restoring liver cells. Useful as an appetite stimulant as well. Improves digestion.	Small breed dogs – 5-8ml twice daily. Large breed dogs – 10-15ml twice daily. Cats – 3-5ml twice daily.	Orally	200ml	Himalaya
Livofrol Pet liquid	Vitamins and Minerals Supplements	Indication	Doses	Route	Presentation	Company
		Supportive management for Anaemia, Appetite stimulant and Hepatoprotective supplement	Puppies & dogs: 5-10ml twice a day, Cat: 2-5ml twice a day	Orally	200ml	Petcare


* For Doses where species is not mentioned, it is considered for dogs/canine


POULTRY FUNDAMENTALS

POULTRY THERAPEUTICS

POULTRY ANTI BACTERIALS / ANTIBIOTICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Enrodac-10 Vet liquid	Each ml contains Enrofloxacin 100mg					

		CRD, and diseases caused by G+ & G- bacteria	Prevention: 1ml per 4-8 litre of drinking water Treatment: 1ml per 2 litre of drinking water	Orally	100, 500ml, 1 & 5 litres	Zydus
AmoClox Forte powder	Amoxicillin, Cloxacillin	Indication	Doses	Route	Presentation	Company
		Prevention and treatment of CCRD, Infectious Coryza, Early Chick Mortality, Fowl Typhoid, Nonspecific Diarrhoea, Secondary Bacterial Infections	1g/4 litre of water for 3-5 days	Orally	50g	Neospark
AmoxStron powder	Amoxicillin	Indication	Doses	Route	Presentation	Company
		Necrotic enteritis, Infectious Coryza, Fowl Cholera, Fowl Typhoid, Salmonellosis	1g/litre of water for 5-7 days	Orally	50g	Neospark
Enrovet liquid	Each ml contains Enrofloxacin 100mg	Indication	Doses	Route	Presentation	Company
		Enrofloxacin is the drug of choice both for the prevention and treatment of Chronic Respiratory Disease(CRD)	10mg/kg bwt in drinking water for 3-5 days	Orally	100, 500ml & 1 litre	Vetsfarma
Gentavet inj.	Each ml contains Gentamicin sulphate 40mg	Indication	Doses	Route	Presentation	Company

		E.Coli Infection, Salmonellosis, Mycoplasmosis	5mg/kg bwt	I/M or I/V	30, 100ml	Concept
Lixen powder	Cephalexin 75mg	Indication	Doses	Route	Presentation	Company
		To prevent early chick mortality and for treatment of E. coli, Salmonella, Fowl Cholera, Coryza and Dermatitis	Prevention: 20g sachet for 1500 chicks for 5 days in drinking water. Treatment: 20g for 1500 chicks/250 growers/100 layers for 3-5 days in drinking water	Orally	10 sachets of 20g each and 300g bottle	Virbac
Oxytetra cycline injection LA	Oxytetracycline dihydrate 200 mg /ml in 2-pyrrolidone vehicle	Indication	Doses	Route	Presentation	Company
		Infectious Coryza, Mixed bacterial infections	0.25 ml / kg bwt as single injection	S/C	50 ml vial	Zydus
Oxytreat-50 powder	Oxytetracycline hydrochloride	Indication	Doses	Route	Presentation	Company
		Effective for Bacillary white diarrhoea (Pullorum disease), Fowl Cholera, Fowl Typhoid, Infectious Coryza, CRD, Infectious synovitis, secondary bacterial infections in viral outbreaks and non specific mortalities	ROUTINE USE: 1.0 to 2.0g / 1 litre of drinking water. TREATMENT USE: 2.5 to 5g / 1 litre of drinking water for 7-10 days	Orally	1kg	Advance Aqua Bio Technologies
Siproxin 10% powder	Ciprofloxacin Hydrochloride	Indication	Doses	Route	Presentation	Company

		<p>CRD Complex, Colisepticaemia, Fowl cholera, Gangrenous dermatitis (Wing rot), Salmonella infections, Infectious coryza</p>	<p>1g/litre of drinking water for 3-5 days</p>	<p>Orally</p>	<p>50g</p>	<p>Neospark</p>
<p>Tetranex powder</p>	<p>Each 4g (teaspoonful) contains Oxytetracycline Hydrochloride 200mg</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
		<p>Respiratory tract infections, gastro intestinal infections, CRD, coryza, fowl cholera, blue comb (non-specific enteritis), infectious synovitis</p>	<p>STARTING CHICK AND POULTS: 1 tsp. (4gm) per 4.5 litres of water daily for first 2 weeks, DISEASE PREVENTION: 1 tsp. per 9 litres of water or up to one week or till the throat is over, DISEASE TREATMENT: 1 tsp. per 4.5 litres of water till problem is over</p>	<p>Orally</p>	<p>250g</p>	<p>Nexell</p>
<p>Trox powder</p>	<p>Tylosin Tartrate</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
		<p>For prevention and treatment of chronic respiratory disease (CRD) in poultry</p>	<p>1g per litre of drinking water in divided doses for morning and evening for 2-3 days</p>	<p>Orally</p>	<p>60g, 120g HDPE bottle</p>	<p>Virbac</p>
<p>UltrOx/LA inj.</p>	<p>Each ml contains Oxytetracycline 200 mg</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>

		<p>For prevention and treatment of Fowl Cholera, CRD, CCRD</p>	<p>0.25 ml / kg bwt as single injection, 2nd dose 3rd to 5th day if required</p>	<p>S/C</p>	<p>30, 100ml</p>	<p>Neospark</p>
<p>Vendox-N powder</p>	<p>Neomycin Sulphate, Doxycycline hydrochloride</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
		<p>For treatment of bacterial enteritis For treatment of complex CRD with E.Coli, and for treatment secondary bacterial infection caused by gram positive and gram negative bacteria</p>	<p>1g/3-5 litres water for 3-5 days</p>	<p>Orally</p>	<p>50 & 250g</p>	<p>Venkys</p>
<p>Venflox liquid</p>	<p>Each ml contains Enrofloxacin 100mg</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
		<p>Rapid bactericidal effect Active peak level serum concentration within 1-2 hours after administration. Broad spectrum activity.</p>	<p>15-25mg/kg bwt. Repeat the dose after 24 hours interval for 3-5 days</p>	<p>Orally</p>	<p>1 & 5 litres</p>	<p>Venkys</p>
<p>Xceft inj.</p>	<p>Ceftiofur sodium sterile powder</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>

	<p>Prevention of ECM coli bacillosis & salmonellosis in adult birds</p>	<p>Chicks- 0.2 mg/kg bwt, Adult bird- 2.5 to 5 mg/kg bwt</p>	<p>S/C</p>	<p>1 g & 4 g</p>	<p>Alembic</p>
-----------------------------------------------------------------------------------	-----------------------------------------------------------------------------	--------------------------------------------------------------	------------	----------------------	----------------

POULTRY ANTI DIARRHOELS / ANTIPROTOZOALS / ANTI COCCIDIALS


Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Amprolium soluble powder	Amprolium Hydrochloride					
	<p>For prevention and treatment of all types of Coccidiosis in chicks, growers, layers, broilers and breeders</p>	<p>Dissolve 5g powder in 5-7 litres of drinking water for 5-7 days</p>	<p>Orally with drinking water</p>	<p>150g, 1kg</p>	<p>Virbac</p>	
Neblon powder	Ayurvedic composition					
	<p>Acute or chronic diarrhoea, dysentery</p>	<p>Poultry- 1% mixed with feed</p>	<p>Orally with feed or water</p>	<p>100g</p>	<p>Indian Herbs</p>	
Supercox powder	Sulphaquinaxaline, Diaveridine					
	<p>Superior Anti-Coccidial. Effective in both caecal and intestinal Coccidiosis</p>	<p>10g/10-20 litre water or 100g in 50-100 kg feed for 3 days</p>	<p>Orally with feed or water</p>	<p>100g</p>	<p>Vetoquinol</p>	

POULTRY VACCINATION BROILER VACCINATION SCHEDULE

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
MD-HVT (FD)	Marek's Disease vaccine					
		0-1 day	Administer reconstituted vaccine @ 0.2ml/chick	S/C in the neck region	500, 1000, 2000 and 2500 dose vials	Hester
SUPER LaSota	Ranikhet Disease Vaccine Live, Lentogenic 'LaSota' strain, I.P					
		3-7 days	Reconstitute 1000 doses in 40 ml and 5000 in 200 ml diluent. Administer to the chick one drop of vaccine orally or by drinking water method	Orally/ Drinking water stabilised with powder milk @ 100g milk/20 litre water	1000, 5000 dose vials	Biomed
IBD Intermediate Plus	Infectious Bursal Disease Vaccine Live (I.P.)					
		12-14 days	Reconstitute 100 doses in 4 ml, 200 in 8 ml, 500 in 20 ml and 1000 in 40 ml, vaccine diluent . Administer one drop vaccine orally or use drinking water method. Use enough water that the chicks can drink in 1 to 2 hours. The chicks are kept thirsty for 2-3 hours before offering vaccine water.	Orally / Drinking water stabilized with 2 gm skimmed milk powder/liter of water	100, 200, 500 and 1000 dose vials	Biomed

SUPER LaSota	Lasota booster vaccine	Indication	Doses	Route	Presentation	Company
		21-27 days	Reconstitute 1000 doses in 40 ml and 5000 doses in 200 ml. Use drinking water method stabilised with powder milk @ 100g milk/ 20 litre water	Drinking water	1000, 5000 dose vials	Biomed
IBD Intermediate Plus	I.B.D booster vaccine	Indication	Doses	Route	Presentation	Company
		28-32 days	Reconstitute 100 doses in 4 ml, 200 doses in 8 ml, 500 doses in 20 ml and 1000 doses in 40 ml, vaccine diluent. Use drinking water method	Drinking water	100, 200, 500 and 1000 dose vials	Biomed

LAYER VACCINATION SCHEDULE

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
MD-HVT (FD)	Marek's Disease vaccine					
		0-1 day	Administer reconstituted vaccine @ 0.2ml/chick	S/C in the neck region	500, 1000, 2000 and 2500 dose vials	Hester
SUPER LaSota	Ranikhet Disease Vaccine Live, Lentogenic 'LaSota' strain, I.P	Indication	Doses	Route	Presentation	Company

		3-7 days	Reconstitute 1000 doses in 40 ml and 5000 in 200 ml diluent. Administer to the chick one drop of vaccine orally or by drinking water method	Orally/ Drinking water stabilised with powder milk @ 100g milk/20 litre water	1000, 5000 dose vials	Biomed
IBD Intermediate Plus	Infectious Bursal Disease Vaccine Live (I.P.)	Indication	Doses	Route	Presentation	Company
		12-14 days	Reconstitute 100 doses in 4 ml, 200 in 8 ml, 500 in 20 ml and 1000 in 40 ml, vaccine diluent. Administer one drop vaccine orally or use drinking water method. Use enough water that the chicks can drink in 1 to 2 hours. The chicks are kept thirsty for 2-3 hours before offering vaccine water.	Orally / Drinking water stabilized with 2 gm skimmed milk powder/liter of water	100, 200, 500 and 1000 dose vials	Biomed
SUPER LaSota	Lasota booster vaccine	Indication	Doses	Route	Presentation	Company
		21-27 days	Reconstitute 1000 doses in 40 ml and 5000 doses in 200 ml. Use drinking water method stabilised with powder milk @ 100g milk/20 litre	Drinking water	1000, 5000 dose vials	Biomed
IBD Intermediate Plus	I.B.D booster vaccine	Indication	Doses	Route	Presentation	Company
		28-32 days	Reconstitute 100 doses in 4 ml, 200 doses in 8 ml, 500 doses in 20 ml and 1000 doses in 40 ml, vaccine diluent. Use drinking water method	Drinking water	100, 200, 500 and 1000 dose vials	Biomed

Fowl Pox Vaccine Live I.P.	Fowl pox vaccine	Indication	Doses	Route	Presentation	Company
		7th week	Reconstitute 100 doses in 50 ml, 500 dose in 250 ml, 1000 doses in 500 ml diluent. Administer 0.5 ml intra muscularly into high region of chicks	I/M	100, 500 and 1000 dose vial	Biomed
Avian Infectious Bronchitis Vaccine, I.P.	Avian Infectious Bronchitis Vaccine	Indication	Doses	Route	Presentation	Company
		13-15 weeks	Vaccine is reconstituted in diluent (4 ml, 20 ml and 40 ml for 100, 500 and 1000 dose vials respectively) or Sterile Normal Saline (0.9% Sodium Chloride). Administer in drinking water	Drinking water	100, 500 and 1000 dose vial	Biomed
Combivac Vaccine	Ranikhet Disease-Avian Infectious Bronchitis Vaccine	Indication	Doses	Route	Presentation	Company
		16-18 weeks	Vaccine is reconstituted in diluent (4 ml, 20 ml and 40 ml for 100, 500 and 1000 dose vials respectively) or Sterile Normal Saline (0.9% Sodium Chloride). Administer in drinking water	Drinking water	100, 500 and 1000 dose vial	Biomed

POULTRY CARE & MANAGEMENT

POULTRY DEWORMING / ANTHELMINTICS

Drug / Product Name	Primary Composition					
---------------------	---------------------	--	--	--	--	--

Albomar powder	Albendazole	Indication	Doses	Route	Presentation	Company
		Broad spectrum anthelmintic for control and treatment of gastrointestinal and pulmonary nematodes and cestodes	Layers: 300-600g per 1000 birds, Breeders: 600-1200g per 1000 birds as single dose	Orally	500g packet	Virbac
Zodex powder	Each 5 gm contains Mebendazole 500 mg	Indication	Doses	Route	Presentation	Company
		Broad spectrum anthelmintic	Layers: 50mg/kg bwt as single deworming dose	Orally	100, 500g	Concept

POULTRY ECTOPARASITICIDE

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Clinar liquid	Cypermethrin					
		For control and treatment of ectoparasites like ticks, mites, lice and fleas	Mix 3-5 ml Clinar per litre of water and spray as aerosol in the sheds and surroundings	As aerosol spray	5, 15, 50ml and 1 litre	Virbac

POULTRY FEED SUPPLEMENTS & SUPPORTIVES

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Ambiplex liquid	Multivitamins and minerals					

		Improves immunity, nerve functions, liver functions, appetite, growth	Chicks: 5-6ml/100 birds, Growers/ Adults: 8-10ml/100 birds, Layers: 10-15ml/100 birds	Orally	60, 120, 500ml, 1 & 5 litre	Brihans
Anabolite-P liquid	Gluconeogenic precursor fortified with Nicotinamide	Indication	Doses	Route	Presentation	Company
		Helps in reduced chick mortality, flock uniformity, even and faster weight gain	Broiler & Layer- 10ml/ 100 chicks, 20ml/100 birds once a week	Orally	2 litre	Virbac
Groviplex powder	Multivitamins and minerals	Indication	Doses	Route	Presentation	Company
		Vitamin and mineral supplement for improved FCR and productivity	Prepare 100g in 5 litre water. Give 15-20 ml of prepared solution per 100 birds through drinking water for 7-10 days	Orally	100g pouch	Virbac
Kalzol Forte powder	Calcium, Phosphorus, Magnesium, Vitamin D3 & A	Indication	Doses	Route	Presentation	Company
		Calcium supplement for thick shelled eggs, strong bones, better growth and productivity	Mix 1kg/1 ton of feed and give for 10 days every month	Orally	10kg bag	Virbac
Meriplex-K powder	Multivitamins and minerals	Indication	Doses	Route	Presentation	Company

		Vitamin Supplement to improve performance	Mix 250g / tonne of feed	Orally	1kg pack	Vetoquinol
-----------------------------------------------------------------------------------	--	-------------------------------------------	--------------------------	--------	----------	------------

Vimeral liquid	Vitamin A, D3, E and B12	Indication	Doses	Route	Presentation	Company
-----------------------	---------------------------------	-------------------	--------------	--------------	---------------------	----------------

		Antistress vitamin supplement. Helps in better growth, egg production	Chicks- 5ml/ 100birds, Growers & Layers- 7-10ml/ 100 birds	Orally	30, 60, 120, 300, 500ml, 1.2 ltr	Virbac
-----------------------------------------------------------------------------------	--	-----------------------------------------------------------------------	------------------------------------------------------------	--------	----------------------------------	--------

POULTRY ACIDIFIERS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
Acimix liquid	Buffered organic acid salts on silicate base	Indication	Doses	Route	Presentation	Company


		Acimix is unique potentiated organic acid blend and is potent antimicrobial for decontamination of water, feed and feed ingredients and prevents bacterial and mould growth. Acimix acts as a gut environment modifier by preventing colonization of the digestive tract by harmful bacteria	Drinking water: 0.5ml/litre, Feed: 1 litre/ ton	Orally	1, 5 litre	Vetsfarma
-------------------------------------------------------------------------------------	--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------	--------	------------	-----------

Sokrena-WS liquid	Didecyl Dimethyl Ammonium Chloride	Indication	Doses	Route	Presentation	Company
--------------------------	-------------------------------------------	-------------------	--------------	--------------	---------------------	----------------

	<p>Sanitization of drinking water to prevent water borne diseases of bacterial, viral and fungal origin</p>	<p>0.5-1ml in 10 litres of drinking water</p>	<p>Orally</p>	<p>500ml, 5 litre</p>	<p>Virbac</p>
-----------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------	-----------------------------------------------	---------------	-----------------------	---------------

POULTRY LIVER TONICS

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
<p>Brotone Vet liquid</p>	<p>Liver and yeast extract</p>	<p>Broilers- For faster weight gain, Layers- For early peak production, also as supplementary treatment of Aflatoxicosis, Mycotoxicosis and Fatty Liver Syndrome</p>	<p>Broilers: 10-20ml daily for 100 birds from 4th to 5th week. Layers: 20ml/100 birds daily during 16th-18th week and 32nd-34th week of age</p>	<p>Orally</p>	<p>Bottle of 120, 200, 500ml & Jar of 1, 2, 4 & 5 litres</p>	<p>Virbac</p>
						
<p>Liv.52 Protec-PFS liquid</p>	<p>Herbal ingredients</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
		<p>Helps maintain the intestinal integrity and aids in faster recovery from illnesses that cause damage to the gastrointestinal system, like coccidiosis and toxins</p>	<p>Per day and per 1000 birds, Chicks - 20ml, Growers - 40ml, Layers/ Broilers - 70ml</p>	<p>Orally</p>	<p>1 litre</p>	<p>Himalaya</p>
<p>Livojet Tonic</p>	<p>Choline Donars, Protein hydrolysate, Yeast extract, Amino acids, Vitamins, Minerals, Prebiotics, Emulsifier and Silymarin</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>

	<p>Boost the liver health, Growth promoter and Immunobooster</p>	<p>Per Day per 100 birds: Chicks: 5 ml Grower: 10 ml Layer/ Finisher: 20 ml</p>	<p>Orally</p>	<p>1, 5 & 20 litre</p>	<p>Hexa Biosolution</p>
-----------------------------------------------------------------------------------	------------------------------------------------------------------	---------------------------------------------------------------------------------------------	---------------	----------------------------	-------------------------

POULTRY ANTI STRESS FORMULA

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
<p>Stresroak liquid</p>	<p>Herbal formula</p>					
	<p>Anti stress, performance enhancer</p>	<p>Chicks: 5ml/100 birds/day, Growers: 7.5ml/100 birds/day, Layers/ Finishers: 10ml/100 birds/day</p>	<p>Orally</p>	<p>500ml, 2 litre</p>	<p>Ayurvet</p>	
<p>Stresslyte powder</p>	<p>Calcium Lactate, Potassium Chloride, Magnesium Sulphate, Sodium Chloride, Sodium Bicarbonate, Sodium Citrate, Dextrose, Water Soluble Carbohydrate, Lactobacillus Sporogenes (M.spores), Vitamin C</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
	<p>Stress during vaccination, helps during recovery from diarrhoea, rehydration during extreme heat and temperature conditions</p>	<p>1 g/ltr of fresh water</p>	<p>Orally</p>	<p>200g, 1kg</p>	<p>Vest Pharma</p>	

POULTRY FARM DISINFECTANTS / SANITIZATION

Drug / Product Name	Primary Composition	Indication	Doses	Route	Presentation	Company
<p>Bleaching powder</p>	<p>Calcium hydroxide, Calcium chloride, calcium hypochlorite</p>					

	<p>Use as disinfectant to kill germs and bacteria</p>	<p>10g/ltr of water (1%)</p>	<p>As spray over the area</p>	<p>500g</p>	<p>SLCHEM</p>	
<p>Kohrsolin liquid</p>	<p>Glutaraldehyde, Dihydroxy dioxyhexane, Polymethy derivatives</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
	<p>Disinfection of poultry farms, cattle sheds</p>	<p>As preventive: 5-10ml/ltr of water, As specific: 30-40ml/ltr of water</p>	<p>As spray over the floor area</p>	<p>100, 500ml, 5 ltr</p>	<p>Virbac</p>	
<p>Potassium Permanganate I.P</p>	<p>Potassium permanganate</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
	<p>Use as footbath. Washing of wounds or external injuries</p>	<p>0.01% mixed with water</p>	<p>Externally</p>	<p>450g</p>	<p>P.G. Pharmaceutical</p>	
<p>Q4ALL liquid</p>	<p>4 Quaternary Ammonium compounds, Gluterladehyde, Pine oil & Terpeneol</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>
	<p>Disinfection of poultry farm & hatchery</p>	<p>In presence of birds- 5ml/litre of water for 125 sqft. Terminal Disinfection- 5ml/litre of water for 30 sqft</p>	<p>As spray over the area</p>	<p>250ml, 1 litre, 5 litre</p>	<p>Alembic</p>	
<p>Resimax liquid</p>	<p>Combination of Glutaraldehyde and Benzalkonium Chloride</p>	<p>Indication</p>	<p>Doses</p>	<p>Route</p>	<p>Presentation</p>	<p>Company</p>

	<p>Disinfection of poultry farm & hatchery</p>	<p>Surface disinfections: Dilute 7ml/litre of water. 300ml of dilute solution per sq. meter area Fogging: Dilute 7ml/litre of water. 1 liter of dilute solution per 100 cubic meter Foot dip / wheel wash: 10ml per litre.</p>	<p>As spray over the area</p>	<p>250ml, 1 litre, 5 litre</p>	<p>Vetoquinol</p>
-----------------------------------------------------------------------------------	-----------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------	--------------------------------	-------------------

Common Note:
 Anti-inflammatory drugs to be supported with Antihistamincs and Multivitamins as per requirement
 Antibiotic drugs to be supported with Multivitamins as per requirement

--

BONUS CONTENTS

AniTemp

NORMAL ANIMAL PHYSIOLOGICAL VALUES

Species	Temperature		Pulse rate per minute	Respiratory rate per minute
	°F	°C		
Cattle	100 - 102.5	37.8 - 39.2	45 - 60	16 - 22
Buffalo	99 - 102	37.2 - 38.9	42 - 62	22 - 28
Calf	101.5 - 103.5	38.6 - 39.8	80 - 100	27 - 30
Goat & Sheep	101.5 - 103.5	38.6 - 39.8	60 - 70	20 - 30
Kid	101.8 - 104.3	38.8 - 40.2	100 - 120	20 - 40
Lamb	101.3 - 103.1	38.5 - 39.5	80 - 100	36 - 48
Pig	100 - 102	37.8 - 39.2	60 - 90	16 - 18
Piglet	102.2 - 103.1	39.0 - 39.5	200 - 220	24 - 36
Horse	99 - 100.5	37.2 - 38.0	33 - 41	10 - 15
Camel	97.4	36.3	32 - 50	5 - 12
Dog (large breed)	99.5 - 101.5	37.5 - 38.0	70 - 90	15 - 25
Dog (small breed)	101.5 - 102.5	38.6 - 39.2	90 - 120	20 - 30
Fowl	105.8 - 107.6	41.0 - 42.0	130 - 160	15 - 30

VetKit

STARTER KIT CHECK LIST FOR FIELD VETS

Must have Contents in your veterinary kit bag

Antibiotic injection

E.g.: Steclin inj., 30ml

Flobac SA inj., 30ml

Xonoxef-S inj., 3000mg

Anti-inflammatory injection

E.g.: Melonex inj., 30ml

Maxxtol inj., 30ml

Dexona inj., 5ml

Anti-inflammatory + Anti-pyretic injection

E.g.: Melonex Plus inj., 30ml

Supportive Therapy (Multivitamin) injection

E.g.: Tribivet inj., 30ml

Tribivet M inj., 30ml

Antihistaminic injection

E.g.: Avilin Vet inj., 10ml

Endo & Ectoparasiticide

E.g.: Neomac inj., 10ml

External wound healing spray/ointment

E.g.: D'Mag spray, 100ml

Digital Thermometer

Disposable Syringes 2, 5 and 10ml

18, 20, 22 gauge needles

Surgical gloves

Cotton gauge roll

Nonstick bandages

Adhesive tape

Scissors

Sthetoscope

Apron

That's all folks. Hope it helps.

For feedbacks kindly write to: vetfunda4u@gmail.com